



Moving Europe towards a sustainable and safe railway system without frontiers.

Bruno Deliège
Conseiller
I-ICT.231 Business Relation Management
Infrabel I-ICT
Rue des deux gares, 82
1070, Brussels,
Belgium

Valenciennes, 16/5/2024

TAF TSI Compliance Test Results – Activity 4, Milestone 19 - CEF Grant Agreement TEN-T 2018-EU-TM-0063-S – Train Composition Messages

Dear Bruno Deliège,

I confirm and certify herewith that the following TAF TSI functionality implemented by the company Infrabel I-ICT (Belgium), within the project *“Activity 4, Milestone 19 - CEF Grant Agreement TEN-T 2018-EU-TM-0063-S – Train Composition Messages”*, is compliant with the appropriate provisions of chapter *“4.2.3.2. Train Composition message”* of the [TAF-TSI Regulation \(EU\) 2021/541](#) and its [Technical Documents](#) (XSD version 2.2.2).

In this milestone the company Infrabel I-ICT had to implement the TAF/TAP Train Composition Message function. To enable the ERA verification, Infrabel I-ICT has sent on 15/05/2024 to ERA TAF compliant Train Composition Messages implemented and used in operation in Infrabel I-ICT’s “Fill IN” application and database.

Mickael VARGA
European Union Agency for Railways
Operational Data Unit
Project Officer
Email: mickael.varga@era.europa.eu

Annex – Example of Train Composition Message used by Infrabel I-ICT

```

<?xml version="1.0" encoding="UTF-8"?>
<TrainCompositionMessage xmlns="http://www.era.europa.eu/schemes/TAFTSI/2.2"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.2
file:///C:/Users/vargami/OneDrive%20-
%20European%20Union%20Agency%20for%20Railways%20(ERA)/Desktop/Telematics/Compliance%20ma
pping/IRAIL/Transfesa/XSD%202.2.2/taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>
      <MessageType>3003</MessageType>
      <MessageTypeVersion>2.1.6</MessageTypeVersion>
      <MessageIdentifier>1111</MessageIdentifier>
      <MessageDateTime>2024-04-09T15:24:23.934+00:00</MessageDateTime>
    </MessageReference>
    <SenderReference>b8d40137-89f5-ee11-a1fd-6045bdf5f212</SenderReference>
    <Sender>3896</Sender>
    <Recipient>0088</Recipient>
  </MessageHeader>
  <MessageStatus>2</MessageStatus>
  <TransportOperationalIdentifiers>
    <ObjectType>TR</ObjectType>
    <Company>6543</Company>
    <Core>-----12345</Core>
    <Variant>00</Variant>
    <TimetableYear>2024</TimetableYear>
    <StartDate>2024-04-10</StartDate>
  </TransportOperationalIdentifiers>
  <OperationalTrainNumberIdentifier>
    <OperationalTrainNumber>11111</OperationalTrainNumber>
    <ScheduledTimeAtHandover>2024-04-
10T08:22:00+02:00</ScheduledTimeAtHandover>
  </OperationalTrainNumberIdentifier>
  <OperationalTrainNumber>11111</OperationalTrainNumber>
  <ReferenceOTN>
    <OperationalTrainNumberIdentifier>
      <OperationalTrainNumber>11111</OperationalTrainNumber>
      <ScheduledTimeAtHandover>2024-04-
10T08:22:00+02:00</ScheduledTimeAtHandover>
    </OperationalTrainNumberIdentifier>
  </ReferenceOTN>
  <TrainCompositionJourneySection>
    <JourneySection>
      <JourneySectionOrigin>
        <CountryCodeISO>MT</CountryCodeISO>
        <LocationPrimaryCode>12345</LocationPrimaryCode>
        <PrimaryLocationName>City A</PrimaryLocationName>
      </JourneySectionOrigin>
      <JourneySectionDestination>
        <CountryCodeISO>MT</CountryCodeISO>
        <LocationPrimaryCode>12345</LocationPrimaryCode>
        <PrimaryLocationName>City A</PrimaryLocationName>
      </JourneySectionDestination>
      <ResponsibilityActualSection>
        <ResponsibleRU>3896</ResponsibleRU>
        <ResponsibleIM>0088</ResponsibleIM>
      </ResponsibilityActualSection>
    </JourneySection>
  </TrainCompositionJourneySection>

```

```

</ResponsibilityActualSection>
<ResponsibilityNextSection>
  <ResponsibleRU>3896</ResponsibleRU>
  <ResponsibleIM>0088</ResponsibleIM>
</ResponsibilityNextSection>
</JourneySection>
<TrainRunningData>
  <TrainRunningTechData>
    <TrainType>2</TrainType>
    <TrainWeight>1111</TrainWeight>
    <TrainLength>384</TrainLength>
    <TrainMaxSpeed>140</TrainMaxSpeed>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <NumberOfVehicles>15</NumberOfVehicles>
    <NumberOfAxles>60</NumberOfAxles>
  </TrainRunningTechData>
</TrainRunningData>
<LocoIdent>
  <TractionType>01</TractionType>
  <LocoNumber>111111111111</LocoNumber>
  <TractionMode>11</TractionMode>
  <TractionPositionInTrain>1</TractionPositionInTrain>
</LocoIdent>
<LivestockOrPeopleIndicator>0</LivestockOrPeopleIndicator>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>1</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2640</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>2</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2750</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>3</WagonTrainPosition>

```

```

<WagonOperationalData>
  <BrakeType>P</BrakeType>
  <BrakeWeight>1111</BrakeWeight>
  <WagonMaxSpeed>160</WagonMaxSpeed>
  <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
  <TotalLoadWeight>1111</TotalLoadWeight>
</WagonOperationalData>
<WagonTechData>
  <LengthOverBuffers>2750</LengthOverBuffers>
  <WagonNumberOfAxles>4</WagonNumberOfAxles>
  <WagonWeightEmpty>99999</WagonWeightEmpty>
</WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>4</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2640</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>5</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2640</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>6</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>200</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2640</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>

```

```

</WagonData>
<WagonData>
  <WagonNumberFreight>11111111111</WagonNumberFreight>
  <WagonTrainPosition>7</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2640</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>11111111111</WagonNumberFreight>
  <WagonTrainPosition>8</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2410</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>11111111111</WagonNumberFreight>
  <WagonTrainPosition>9</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
    <LengthOverBuffers>2410</LengthOverBuffers>
    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
</WagonData>
<WagonData>
  <WagonNumberFreight>11111111111</WagonNumberFreight>
  <WagonTrainPosition>10</WagonTrainPosition>
  <WagonOperationalData>
    <BrakeType>P</BrakeType>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>160</WagonMaxSpeed>
    <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
    <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>

```

```

        <LengthOverBuffers>2640</LengthOverBuffers>
        <WagonNumberOfAxles>4</WagonNumberOfAxles>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
</WagonData>
<WagonData>
    <WagonNumberFreight>111111111111</WagonNumberFreight>
    <WagonTrainPosition>11</WagonTrainPosition>
    <WagonOperationalData>
        <BrakeType>P</BrakeType>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>160</WagonMaxSpeed>
        <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
        <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
        <LengthOverBuffers>2640</LengthOverBuffers>
        <WagonNumberOfAxles>4</WagonNumberOfAxles>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
</WagonData>
<WagonData>
    <WagonNumberFreight>111111111111</WagonNumberFreight>
    <WagonTrainPosition>12</WagonTrainPosition>
    <WagonOperationalData>
        <BrakeType>P</BrakeType>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>160</WagonMaxSpeed>
        <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
        <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
        <LengthOverBuffers>2640</LengthOverBuffers>
        <WagonNumberOfAxles>4</WagonNumberOfAxles>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
</WagonData>
<WagonData>
    <WagonNumberFreight>111111111111</WagonNumberFreight>
    <WagonTrainPosition>13</WagonTrainPosition>
    <WagonOperationalData>
        <BrakeType>P</BrakeType>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>160</WagonMaxSpeed>
        <InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>
        <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
        <LengthOverBuffers>2410</LengthOverBuffers>
        <WagonNumberOfAxles>4</WagonNumberOfAxles>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
</WagonData>
<WagonData>
    <WagonNumberFreight>111111111111</WagonNumberFreight>
    <WagonTrainPosition>14</WagonTrainPosition>
    <WagonOperationalData>
        <BrakeType>P</BrakeType>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>160</WagonMaxSpeed>

```

```
<InfoOnGoodsShapeTypeDanger>98</InfoOnGoodsShapeTypeDanger>  
<TotalLoadWeight>1111</TotalLoadWeight>  
</WagonOperationalData>  
<WagonTechData>  
<LengthOverBuffers>2640</LengthOverBuffers>  
<WagonNumberOfAxles>4</WagonNumberOfAxles>  
<WagonWeightEmpty>99999</WagonWeightEmpty>  
</WagonTechData>  
</WagonData>  
</TrainCompositionJourneySection>  
</TrainCompositionMessage>
```