



Moving Europe towards a sustainable and safe railway system without frontiers.

Thomas Kaspar
Leiter Funding Management
Competence Center (L.CBR 2Y)
DB Cargo AG
Rheinstr. 2,
55116 Mainz,
Germany

Valenciennes, 13/10/2025

CEF Project Compliance Test Results – Activity 1, 2 and 4 - INEA/CEF/TRAN/M2017/1483366 - 2017-DE-TM-0009-W - DB TAF-TSI: Investing in digital communication infrastructure based on Telematics Application for Freight

Dear Thomas Kaspar,

I confirm and certify herewith that the following TAF TSI functionality implemented by the company DB Cargo AG (Germany), within the project “Activity 1, 2 and 4 - INEA/CEF/TRAN/M2017/1483366 - 2017-DE-TM-0009-W - DB TAF-TSI: Investing in digital communication infrastructure based on Telematics Application for Freight”, is compliant with the appropriate provisions of chapters 4.2.1. Consignment Note data, 4.2.2. Path Request and path allocation, 4.2.3. Train Preparation, 4.2.4. Train Running Information and Train Running Forecast and 4.2.9.2. The Rolling Stock Reference Databases of the [TAF-TSI Regulation \(EU\) 2021/541](#) and its [Technical Documents](#) (XSD version 3.0.0).

In this activity the company DB Cargo AG had to implement the TAF TSI Consignment Order Message (Activity 4), Path Request, Train Composition, Train Running Information, Train Running Forecast and Service Disruption and Train Delay Cause functions (Activity 1) and the Rolling Stock Reference Databases (Activity 2).

To enable the ERA verification, DB Cargo AG has sent on 16/08/2021 to ERA TAF TSI *soft* compliant Train Composition messages and Rolling Stock Reference Data. This *soft* compliance is based on the fact that above message carries all mandatory elements from the TAF TSI XSD (see chapter 6.2.1 of the TAF TSI).

The same day DB Cargo AG has sent TAF TSI *fully compliant* Consignment Order, Path Details, Train Composition, Train Running Information, Train Running Forecast and Train Delay Cause messages implemented and used in operation in its own IT system (see Annex).

Mickael VARGA
European Union Agency for Railways
Operational Data Unit
Project Officer
Email: mickael.varga@era.europa.eu

Annex – DB Cargo AG messages

```

<?xml version="1.0" encoding="UTF-8"?>
<ConsignmentOrderMessage
  xmlns:tap="http://www.era.europa.eu/schemes/TAFTSI/1.4"
  xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/3.0
    file:///C:/Users/.../taf_cat_complete.xsd"
  xmlns="http://www.era.europa.eu/schemes/TAFTSI/3.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <MessageHeader>
    <MessageReference>

    <MessageType>1000</MessageType>

    <MessageTypeVersion>1.5</MessageTypeVersion>

    <MessageIdentifier>2000016329785</MessageIdentifier>

    <MessageDateTime>2021-05-04T09:17:14+02:00</MessageDateTime>
    </MessageReference>
    <Sender>1234</Sender>
    <Recipient>9876</Recipient>
  </MessageHeader>
  <COMS>
    <COM_Header>
      <SendingRU>1234</SendingRU>

      <ReceivingRU>9876</ReceivingRU>

      <MessageReferenceNumber>123456789</MessageReferenceNumber>

      <ShipmentType>CIM</ShipmentType>

      <ConsignmentOrderType>ORU</ConsignmentOrderType>

      <COM_PreparationDatetime>2021-05-04T09:17:07+02:00</COM_PreparationDatetime>

      <DossierNumber>987654321</DossierNumber>

      <VersionNumber>1</VersionNumber>
      </COM_Header>
      <COM>
        <AcceptancePoint>
          <Station>

          <CountryCodeISO>MT</CountryCodeISO>

          <LocationPrimaryCode>12345</LocationPrimaryCode>

          <LocationSubsidiaryIdentification>
            <LocationSubsidiaryCode
              n0:LocationSubsidiaryTypeCode="42"
              xmlns:n0="http://www.era.europa.eu/schemes/TAFTSI/3.0">12345</LocationSubsidiaryCode>

            <AllocationCompany>9876</AllocationCompany>

            <LocationSubsidiaryName>ZZZ
              UBF</LocationSubsidiaryName>

            </LocationSubsidiaryIdentification>
            </Station>
          </LocationSubsidiaryIdentification>
        </AcceptancePoint>
        <DeliveryPoint>
          <Station>

          <CountryCodeISO>MT</CountryCodeISO>

          <LocationPrimaryCode>12345</LocationPrimaryCode>

          <LocationSubsidiaryIdentification>
            <LocationSubsidiaryCode
              n2:LocationSubsidiaryTypeCode="42"
              xmlns:n2="http://www.era.europa.eu/schemes/TAFTSI/3.0">12345</LocationSubsidiaryCode>

            <AllocationCompany>9876</AllocationCompany>

            <LocationSubsidiaryName>XXX-ST
              CHARLES</LocationSubsidiaryName>

            </LocationSubsidiaryIdentification>
            </Station>
          </LocationSubsidiaryIdentification>
        </DeliveryPoint>
        <Station>

        <CountryCodeISO>MT</CountryCodeISO>

        <LocationPrimaryCode>12345</LocationPrimaryCode>

        <LocationSubsidiaryIdentification>
          <LocationSubsidiaryCode
            n3:LocationSubsidiaryTypeCode="37"
  
```

```
xmlns:n3="http://www.era.europa.eu/schemes/TAFTSI/3.0">12345</LocationSubsidiaryCode>

  <AllocationCompany>9876</AllocationCompany>

  <LocationSubsidiaryName>XXX-ST
CHARLES</LocationSubsidiaryName>

  </LocationSubsidiaryIdentification>
    </Location>
    </ProductionStation>
    </DeliveryPoint>
    <Customers>

  <CustomerType>CR</CustomerType>

  <CustomerNumber>01234567</CustomerNumber>

  <AdministrativeContactInformation>

  <Name>YYYYXX</Name>

  </AdministrativeContactInformation>

  <LeadRU>9999</LeadRU>
    </Customers>
    <Customers>

  <CustomerType>CE</CustomerType>

  <CustomerNumber>98765432</CustomerNumber>

  <AdministrativeContactInformation>

  <Name>YYYYXX</Name>

  </AdministrativeContactInformation>

  <LeadRU>9999</LeadRU>
    </Customers>
    <Customers>

  <CustomerType>FPCE</CustomerType>

  <CustomerNumber>12345678</CustomerNumber>

  <AdministrativeContactInformation>

  <Name>YYYYXX</Name>

  </AdministrativeContactInformation>

  <LeadRU>9999</LeadRU>
    </Customers>
    <ConsignorDeclarations>

  <ConsignorDeclarationsCode>16</ConsignorDecl
arationsCode>

  <DeclarationText>Absender alleine
verfügungsberechtigt, bis die Sendung Versandland
gemäß Feld XY des CIM-Frachtbriefs verlassen
hat.</DeclarationText>
    </ConsignorDeclarations>
    <ConsignorDeclarations>

  <ConsignorDeclarationsCode>11</ConsignorDecl
arationsCode>
    <DeclarationText>ZZZ
XXX 40 21 YYY 946 R3</DeclarationText>
    </ConsignorDeclarations>

  <ContractNumber>XXXXYY</ContractNumber>
    <Routing>
    <RouteSection>
```

```
<SequenceID>1</SequenceID>

<RouteCode>98765</RouteCode>

<RouteText>Boderpont code: 111</RouteText>
  </RouteSection>
  </Routing>
  <CustomsData>

  <SimplifiedTransportProcedure>>false</Simplif
iedTransportProcedure>

  <PrincipalRU>6543</PrincipalRU>

  <CustomsSurveillance>>false</CustomsSurveilla
nce>
    </CustomsData>
    <Wagons>

  <WagonNumberFreight>111111111111</WagonNumbe
rFreight>
    <WagonDetails>

  <LoadingStatus>1</LoadingStatus>

  <WagonTypeDetails>

  <WagonWeightEmpty>99999</WagonWeightEmpty>

  <WagonNumberOfAxes>6</WagonNumberOfAxes>

  <WagonLength>34</WagonLength>

  </WagonTypeDetails>

  <DeliveryReference>XXXX21043YYYY4492</Delive
ryReference>
    </WagonDetails>
    <ITU>

  <ITU_Details>

  <ITU_Type>te</ITU_Type>

  <Number>1234567</Number>

  <LoadingStatus>1</LoadingStatus>

  <ITU_TypeDetail>XXXX5869250101</ITU_TypeDeta
il>

  <Prefix>ZZZZ</Prefix>

  <Dimensions>

  <LengthCode>70</LengthCode>

  <Length>
    <Value>40</Value>
    <Measure>ft</Measure>

  </Length>

  <Height>
    <Value>9.6</Value>
    <Measure>ft</Measure>

  </Height>

  </Dimensions>
```

```

<TareWeight>1111</TareWeight>

</ITU_Details>

<Goods>

<NHM_Code>111111</NHM_Code>

<GoodsDescription>Sattelanhaenger,
beladen</GoodsDescription>

<GrossWeight>1111</GrossWeight>

</Goods>

</ITU>

</Wagons>

</COM>

</COMS>

</ConsignmentOrderMessage>

<PathDetailsMessage
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
xmlns:ns2="http://www.era.europa.eu/schemes/TAFTSI/3
.0"
xsi:schemaLocation="http://www.era.europa.eu/schemes
/TAFTSI/3.0
file:///C:/Users.../taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

    <MessageType>2003</MessageType>

    <MessageTypeVersion>2.2.4</MessageTypeVersio
n>

    <MessageIdentifier>7a596f02-
cef6-11eb-8b70-005056bb226f</MessageIdentifier>
    <MessageDateTime>2021-06-
17T00:59:17.513+02:00</MessageDateTime>
    </MessageReference>

    <SenderReference>XXXX</SenderReference>
    <Sender>1234</Sender>
    <Recipient>9876</Recipient>
  </MessageHeader>
  <AdministrativeContactInformation>
    <Name>YYYYXX</Name>
  </AdministrativeContactInformation>
  <Identifiers>
    <PlannedTransportIdentifiers>
      <ObjectType>TR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-
17</StartDate>

    </PlannedTransportIdentifiers>
    <PlannedTransportIdentifiers>
      <ObjectType>CR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-
17</StartDate>

    </PlannedTransportIdentifiers>
    <ReasonOfReference>
  </Identifiers>
  <MessageStatus>1</MessageStatus>

```

```

<TypeOfRequest>3</TypeOfRequest>
<TypeOfInformation>22</TypeOfInformation>
<PathInformation>
  <PlannedJourneyLocation
JourneyLocationTypeCode="01">

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    <TimingAtLocation>
      <Timing
TimingQualifierCode="ALD">

        <Time>23:49:24Z</Time>

        <Offset>0</Offset>

        <BookedLocationDateTime>2021-06-
17T01:49:24+02:00</BookedLocationDateTime>
        </Timing>
      </TimingAtLocation>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>

    <OperationalTrainNumber>11111</OperationalTr
ainNumber>
    <NetworkSpecificParameter>
      <Name>YYYYXX</Name>

      <Value>0080.Z1451</Value>
    </NetworkSpecificParameter>
  </PlannedJourneyLocation>
  <PlannedJourneyLocation
JourneyLocationTypeCode="02">

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    <TimingAtLocation>
      <Timing
TimingQualifierCode="ALA">

        <Time>23:50:30Z</Time>

        <Offset>0</Offset>

        <BookedLocationDateTime>2021-06-
17T01:50:30+02:00</BookedLocationDateTime>
        </Timing>
      <Timing
TimingQualifierCode="ALD">

        <Time>23:50:30Z</Time>

        <Offset>0</Offset>

        <BookedLocationDateTime>2021-06-
17T01:50:30+02:00</BookedLocationDateTime>
        </Timing>
      </TimingAtLocation>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>

    <OperationalTrainNumber>11111</OperationalTr
ainNumber>

```

```

        <NetworkSpecificParameter>
          <Name>YYYYXX</Name>

        <Value>0080.Z1451</Value>
      </NetworkSpecificParameter>
    </PlannedJourneyLocation>
    <PlannedJourneyLocation
JourneyLocationTypeCode="02">

      <CountryCodeISO>MT</CountryCodeISO>

      <LocationPrimaryCode>12345</LocationPrimaryC
ode>
      <PrimaryLocationName>City
A</PrimaryLocationName>
      <TimingAtLocation>
        <Timing
TimingQualifierCode="ALA">

          <Time>23:54:18Z</Time>

          <Offset>0</Offset>

          <BookedLocationDateTime>2021-06-
17T01:54:18+02:00</BookedLocationDateTime>
        </Timing>
        <Timing
TimingQualifierCode="ALD">

          <Time>23:54:18Z</Time>

          <Offset>0</Offset>

          <BookedLocationDateTime>2021-06-
17T01:54:18+02:00</BookedLocationDateTime>
        </Timing>
        <TimingAtLocation>

        <ResponsibleRU>9876</ResponsibleRU>

        <ResponsibleIM>1234</ResponsibleIM>

        <OperationalTrainNumber>11111</OperationalTr
ainNumber>
        <NetworkSpecificParameter>
          <Name>YYYYXX</Name>

        <Value>0080.Z1451</Value>
      </NetworkSpecificParameter>
    </PlannedJourneyLocation>
    <PlannedJourneyLocation
JourneyLocationTypeCode="03">

      <CountryCodeISO>MT</CountryCodeISO>

      <LocationPrimaryCode>12345</LocationPrimaryC
ode>
      <PrimaryLocationName>City
A</PrimaryLocationName>
      <TimingAtLocation>
        <Timing
TimingQualifierCode="ALA">

          <Time>23:56:06Z</Time>

          <Offset>0</Offset>

          <BookedLocationDateTime>2021-06-
17T01:56:06+02:00</BookedLocationDateTime>
        </Timing>
        <TimingAtLocation>

        <ResponsibleRU>9876</ResponsibleRU>

        <ResponsibleIM>1234</ResponsibleIM>

```

```

    <OperationalTrainNumber>11111</OperationalTr
ainNumber>
    <NetworkSpecificParameter>
      <Name>YYYYXX</Name>

    <Value>0080.Z1451</Value>
    </NetworkSpecificParameter>
  </PlannedJourneyLocation>
  <PlannedCalendar>
    <ValidityPeriod>
      <StartDateTime>2021-
06-17T01:49:24+02:00</StartDateTime>
    </ValidityPeriod>
    </PlannedCalendar>
  </PathInformation>
  <NetworkSpecificParameter>
    <Name>YYYYXX</Name>
    <Value>64162</Value>
  </NetworkSpecificParameter>
  <NetworkSpecificParameter>
    <Name>YYYYXX</Name>
    <Value>0</Value>
  </NetworkSpecificParameter>
</PathDetailsMessage>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<TrainCompositionMessage
xmlns:tcm="http://www.era.europa.eu/schemes/TAFTSI/3
.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
xsi:schemaLocation="http://www.era.europa.eu/schemes
/TAFTSI/3.0
file:///C:/Users/.../taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

    <MessageType>3003</MessageType>

    <MessageTypeVersion>2.1.6</MessageTypeVersio
n>

    <MessageIdentifier>749798092</MessageIdentif
ier>
    <MessageDateTime>2022-02-
21T12:34:53+01:00</MessageDateTime>
    </MessageReference>
    <Sender>1234</Sender>
    <Recipient>9876</Recipient>
  </MessageHeader>
  <MessageStatus>1</MessageStatus>
  <OperationalTrainNumberIdentifier>

  <OperationalTrainNumber>11111</OperationalTr
ainNumber>
    <ScheduledTimeAtHandover>2022-02-
21T14:55:00+01:00</ScheduledTimeAtHandover>
  </OperationalTrainNumberIdentifier>
  <OperationalTrainNumberIdentifier>
  <OperationalTrainNumber>11111</OperationalTr
ainNumber>
  </OperationalTrainNumberIdentifier>
  <TrainCompositionJourneySection>
    <JourneySection>
      <JourneySectionDestination>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>

```

```

    <PrimaryLocationName>City
A</PrimaryLocationName>
    </JourneySectionDestination>
    <JourneySectionOrigin>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    </JourneySectionOrigin>

    <ResponsibilityActualSection>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>

    </ResponsibilityActualSection>
    <ResponsibilityNextSection>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>
    </ResponsibilityNextSection>
    </JourneySection>
    <TrainRunningData>
    <TrainRunningTechData>

    <TrainType>2</TrainType>

    <TrainWeight>1111</TrainWeight>

    <TrainLength>125</TrainLength>

    <TrainMaxSpeed>100</TrainMaxSpeed>

    <MaxAxleWeight>1111</MaxAxleWeight>

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <NumberOfVehicles>6</NumberOfVehicles>

    <NumberOfAxles>20</NumberOfAxles>
    </TrainRunningTechData>

    <ExceptionalGaugingInd>false</ExceptionalGau
gingInd>

    <DangerousGoodsIndicator>1</DangerousGoodsIn
dicator>
    </TrainRunningData>
    <LocoIdent>

    <TractionType>01</TractionType>
    <LocoTypeNumber>
BR186</LocoTypeNumber>

    <LocoNumber>11111111111</LocoNumber>

    <TractionMode>11</TractionMode>
    </LocoIdent>

    <LivestockOrPeopleIndicator>0</LivestockOrPe
opleIndicator>
    <WagonData>

    <WagonNumberFreight>11111111111</WagonNumbe
rFreight>

```

```

    <WagonTrainPosition>1</WagonTrainPosition>
    <WagonOperationalData>

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>100</WagonMaxSpeed>

    <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>

    <LengthOverBuffers>2700</LengthOverBuffers>

    <WagonNumberOfAxles>4</WagonNumberOfAxles>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <WagonWeightEmpty>99999</WagonWeightEmpty>

    <TechnicalRestrictions>70</TechnicalRestrict
ions>
    </WagonTechData>
    </WagonData>
    <WagonData>

    <WagonNumberFreight>11111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>2</WagonTrainPosition>
    <WagonOperationalData>

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>100</WagonMaxSpeed>

    <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>

    <LengthOverBuffers>2386</LengthOverBuffers>

    <WagonNumberOfAxles>4</WagonNumberOfAxles>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <WagonWeightEmpty>99999</WagonWeightEmpty>

    <TechnicalRestrictions>12</TechnicalRestrict
ions>
    </WagonTechData>
    </WagonData>
    <WagonData>

    <WagonNumberFreight>11111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>3</WagonTrainPosition>
    <WagonOperationalData>

```

```

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>100</WagonMaxSpeed>

    <TotalLoadWeight>1111</TotalLoadWeight>
      </WagonOperationalData>
      <WagonTechData>

    <LengthOverBuffers>1550</LengthOverBuffers>

    <WagonNumberOfAxes>2</WagonNumberOfAxes>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>1</BrakingPower
VariationDevice>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <WagonWeightEmpty>99999</WagonWeightEmpty>
      </WagonTechData>
      </WagonData>
      <WagonData>

    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>4</WagonTrainPosition>
      <WagonOperationalData>

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>100</WagonMaxSpeed>

    <TotalLoadWeight>1111</TotalLoadWeight>
      </WagonOperationalData>
      <WagonTechData>

    <LengthOverBuffers>1550</LengthOverBuffers>

    <WagonNumberOfAxes>2</WagonNumberOfAxes>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>1</BrakingPower
VariationDevice>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <WagonWeightEmpty>99999</WagonWeightEmpty>
      </WagonTechData>
      </WagonData>
      <WagonData>

    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>5</WagonTrainPosition>
      <WagonOperationalData>

    <BrakeType>0</BrakeType>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>100</WagonMaxSpeed>

    <DangerousGoodsDetails>

```

```

    <DangerousGoodsIndication>

    <HazardIdentificationNumber>90</HazardIdentifi
cationNumber>

    <UN_Number>2211</UN_Number>

    <RID_Class>9</RID_Class>

    <PackingGroup>III</PackingGroup>

    <DangerousGoodsWeight>1111</DangerousGoodsWe
ight>

    <LimitedQuantityIndicator>0</LimitedQuantity
Indicator>

    </DangerousGoodsIndication>

    </DangerousGoodsDetails>

    <TotalLoadWeight>1111</TotalLoadWeight>
      </WagonOperationalData>
      <WagonTechData>

    <LengthOverBuffers>2335</LengthOverBuffers>

    <WagonNumberOfAxes>4</WagonNumberOfAxes>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>

    <HandBrakeType>1</HandBrakeType>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <WagonWeightEmpty>99999</WagonWeightEmpty>

    <TechnicalRestrictions>12</TechnicalRestrict
ions>
      </WagonTechData>
      </WagonData>
    </TrainCompositionJourneySection>
  </TrainCompositionMessage>

```

<TrainRunningInformationMessage>

```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
xmlns="http://www.era.europa.eu/schemes/TAFTSI/3.0"
xsi:schemaLocation="http://www.era.europa.eu/schemes
/TAFTSI/3.0
file:///C:/Users/...taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

    <MessageType>4005</MessageType>

    <MessageTypeVersion>5.3.0</MessageTypeVersio
n>
    <MessageIdentifier>6462554b-
cef4-11eb-8b70-005056bb226f</MessageIdentifier>
    <MessageDateTime>2021-06-
17T00:44:21.692+02:00</MessageDateTime>
  </MessageReference>
  <Sender>1234</Sender>
  <Recipient>9876</Recipient>
</MessageHeader>
<MessageStatus>1</MessageStatus>
<TrainOperationalIdentification>

```

```

    <TransportOperationalIdentifiers>
      <ObjectType>CR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-

16</StartDate>
    </TransportOperationalIdentifiers>
    <TransportOperationalIdentifiers>
      <ObjectType>CR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-

16</StartDate>
    </TransportOperationalIdentifiers>
    </TrainOperationalIdentification>
    <OperationalTrainNumberIdentifier>

    <OperationalTrainNumber>11111</OperationalTrainNumber>
    <ScheduledDateTimeAtTransfer>2021-06-17T00:51:00+02:00</ScheduledDateTimeAtTransfer>
    </OperationalTrainNumberIdentifier>
    <ReferenceOTN>
    <OperationalTrainNumberIdentifier>

    <OperationalTrainNumber>11111</OperationalTrainNumber>
    <ScheduledDateTimeAtTransfer>2021-06-17T00:51:00+02:00</ScheduledDateTimeAtTransfer>
    </OperationalTrainNumberIdentifier>
    </ReferenceOTN>
    <TrainLocationReport>
      <Location>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryCode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    </Location>
    <LocationDateTime>2021-06-17T00:44:10+02:00</LocationDateTime>

    <TrainLocationStatus>05</TrainLocationStatus>
    <ReferencedLocationDateTime>2021-06-16T23:58:00+02:00</ReferencedLocationDateTime>
    <TrainDelay>

    <AgainstReferenced>+0046</AgainstReferenced>
    </TrainDelay>
    </TrainLocationReport>
    <TransferPoint>
    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryCode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    </TransferPoint>
    <TransfereeIM>9876</TransfereeIM>
</TrainRunningInformationMessage>

```

<TrainDelayCauseMessage

```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.era.europa.eu/schemes/TAFTSI/3.0"
xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/3.0
file:///C:/Users/.../taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

    <MessageType>4001</MessageType>

    <MessageTypeVersion>5.3.0</MessageTypeVersion>
  </MessageHeader>
  <MessageIdentifier>e74ca0af-cef5-11eb-8b70-005056bb226f</MessageIdentifier>
  <MessageDateTime>2021-06-17T00:55:10.965+02:00</MessageDateTime>
  </MessageReference>
  <Sender>1234</Sender>
  <Recipient>9876</Recipient>
</MessageHeader>
  <MessageStatus>1</MessageStatus>
  <TrainOperationalIdentification>
    <TransportOperationalIdentifiers>
      <ObjectType>CR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-

16</StartDate>
    </TransportOperationalIdentifiers>
    <TransportOperationalIdentifiers>
      <ObjectType>CR</ObjectType>
      <Company>6543</Company>
      <Core>-----12345</Core>
      <Variant>00</Variant>

    <TimetableYear>2021</TimetableYear>
    <StartDate>2021-06-

16</StartDate>
    </TransportOperationalIdentifiers>
    </TrainOperationalIdentification>
    <OperationalTrainNumberIdentifier>

    <OperationalTrainNumber>11111</OperationalTrainNumber>
    <ScheduledDateTimeAtTransfer>2021-06-17T05:02:00+02:00</ScheduledDateTimeAtTransfer>
    </OperationalTrainNumberIdentifier>
    <ReferenceOTN>
    <OperationalTrainNumberIdentifier>

    <OperationalTrainNumber>11111</OperationalTrainNumber>
    <ScheduledDateTimeAtTransfer>2021-06-17T05:02:00+02:00</ScheduledDateTimeAtTransfer>
    </OperationalTrainNumberIdentifier>
    </ReferenceOTN>
    <DelayEventReport>
      <DelayLocation>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryCode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    </DelayLocation>

    <TrainLocationStatus>05</TrainLocationStatus>
    <DelayCauseTime>

```

```

    <DelayCause>91</DelayCause>

    <DelayMinutes>0002</DelayMinutes>
    <DelayEventDateTime>2021-06-
17T00:34:18+02:00</DelayEventDateTime>
    </DelayCauseTime>
  </DelayEventReport>
  <TransferPoint>
    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
  </TransferPoint>
</TrainDelayCauseMessage>

```

<RollingStockDatasetMessage

```

xmlns:ns1="http://www.era.europa.eu/schemes/TAFTSI/3
.0"
xmlns:ns2="http://rail.dbschenker.de/ACC/RollingStoc
kDataset/Internal/Operations/V01"
xmlns:ns3="http://rail.dbschenker.de/RCF/Header/V02"
xmlns:ns4="http://rail.dbschenker.de/RCF/ServiceErro
r/V02"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope
/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
xsi:schemaLocation="http://www.era.europa.eu/schemes
/TAFTSI/3.0
file:///C:/Users/...W/taf_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

    <MessageType>2476</MessageType>

    <MessageTypeVersion>RSRDM0100</MessageTypeVe
rsion>
    <MessageIdentifier>ID-
gcubroker2-new-1622201893788-0-
664212</MessageIdentifier>
    <MessageDateTime>2021-06-
15T12:11:32.065+02:00</MessageDateTime>
    </MessageReference>

    <MessageRoutingID>1</MessageRoutingID>

    <SenderReference>XXXXX</SenderReference>
    <Sender>1234</Sender>
    <Recipient>9876</Recipient>
  </MessageHeader>
  <RollingStockDataset>
    <AdministrativeDataSet>

    <WagonNumberFreight>11111111111</WagonNumbe
rFreight>

    <RegistrationCountry>CY</RegistrationCountry
>
    <DatePutIntoService>2035-03-
20</DatePutIntoService>

    <SuspensionOfAuthorisation>false</Suspension
OfAuthorisation>

    <ChannelTunnelPermitted>false</ChannelTunnel
Permitted>

    <KeeperShortNameVKM>XXXXYY</KeeperShortNameV
KM>
    <ECM>XXXXYY</ECM>
    <ECMCertificate>

```

```

    <EINNumber>

    <CountryCodeISO>MT</CountryCodeISO>

    <TypeDocumentEIN>30</TypeDocumentEIN>

    <CounterAccreditedRecognizedBody>2</CounterAc
creditedRecognizedBody>

    <EINYear>99</EINYear>

    <EINCounter>1</EINCounter>
    </EINNumber>

    <ECMCertificateValidFrom>2026-11-
19</ECMCertificateValidFrom>

    <ECMCertificateValidTo>2002-11-
18</ECMCertificateValidTo>

    <CoversTankWagonsForDangerousGoods>true</Cov
ersTankWagonsForDangerousGoods>

    <CoversNonTankWagonsForDangerousGoods>true</
CoversNonTankWagonsForDangerousGoods>

    <ECMCertificateSuspended>false</ECMCertifica
teSuspended>
    </ECMCertificate>

    <InteropCapability>5</InteropCapability>
    <GCUWagon>true</GCUWagon>
    </AdministrativeDataSet>
    <DesignDataSet>

    <LetterMarking>Xyyyy</LetterMarking>
    <TankCode>XXX</TankCode>

    <WagonNumberOfAxles>4</WagonNumberOfAxles>
    <WheelSetType/>

    <WheelsetGauge>1425</WheelsetGauge>

    <NumberOfBogies>2</NumberOfBogies>

    <BogiePitch>8100</BogiePitch>

    <BogiePivotPitch>13500</BogiePivotPitch>

    <InnerWheelbase>12900</InnerWheelbase>

    <CouplingType>2</CouplingType>
    <BufferType>AX</BufferType>

    <NormalLoadingGauge>GC</NormalLoadingGauge>

    <MinCurveRadius>22</MinCurveRadius>

    <WagonWeightEmpty>99999</WagonWeightEmpty>

    <LengthOverBuffers>8940</LengthOverBuffers>

    <MaxAxleWeight>1111</MaxAxleWeight>
    <LoadTable>
    <LoadTableProduct>

    <ProductUNCode>1055</ProductUNCode>

    <ProductRIDName>Isobutene</ProductRIDName>
    </LoadTableProduct>

    <SpeedCategory>100</SpeedCategory>

    <SpeedCategory>120</SpeedCategory>
    <RouteClassPayloads>

```

```
<RouteClass>A</RouteClass>
<MaxPayload>30.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>B</RouteClass>
<MaxPayload>38.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>C</RouteClass>
<MaxPayload>48.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>D</RouteClass>
<MaxPayload>56.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  </LoadTable>
  <LoadTable>
    <LoadTableProduct>
<ProductUNCode>1978</ProductUNCode>
<ProductRIDName>Propane</ProductRIDName>
  </LoadTableProduct>
<SpeedCategory>100</SpeedCategory>
<SpeedCategory>120</SpeedCategory>
  <RouteClassPayloads>
<RouteClass>A</RouteClass>
<MaxPayload>30.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>B</RouteClass>
<MaxPayload>38.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>C</RouteClass>
<MaxPayload>48.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
```

```
<RouteClass>D</RouteClass>
<MaxPayload>50.4</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  </LoadTable>
  <LoadTable>
    <LoadTableProduct>
<ProductUNCode>1965</ProductUNCode>
<ProductRIDName>Mixture B</ProductRIDName>
  </LoadTableProduct>
<SpeedCategory>100</SpeedCategory>
<SpeedCategory>120</SpeedCategory>
  <RouteClassPayloads>
<RouteClass>A</RouteClass>
<MaxPayload>30.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>B</RouteClass>
<MaxPayload>38.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>C</RouteClass>
<MaxPayload>48.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>D</RouteClass>
<MaxPayload>51.6</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  </LoadTable>
  <LoadTable>
    <LoadTableProduct>
<ProductUNCode>1965</ProductUNCode>
<ProductRIDName>Mixture A0</ProductRIDName>
  </LoadTableProduct>
<SpeedCategory>100</SpeedCategory>
<SpeedCategory>120</SpeedCategory>
  <RouteClassPayloads>
<RouteClass>A</RouteClass>
<MaxPayload>30.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
```

```
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
    </LoadTable>
    <LoadTable>
        <LoadTableProduct>

<ProductUNCode>1965</ProductUNCode>

<ProductRIDName>Mixture C</ProductRIDName>
    </LoadTableProduct>

<SpeedCategory>100</SpeedCategory>

<SpeedCategory>120</SpeedCategory>
    <RouteClassPayloads>

<RouteClass>A</RouteClass>

<MaxPayload>30.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>B</RouteClass>

<MaxPayload>38.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>C</RouteClass>

<MaxPayload>48.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>D</RouteClass>

<MaxPayload>50.4</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    </LoadTable>
    <LoadTable>
        <LoadTableProduct>

<ProductUNCode>1965</ProductUNCode>

<ProductRIDName>Mixture A1</ProductRIDName>
    </LoadTableProduct>

<SpeedCategory>100</SpeedCategory>

<SpeedCategory>120</SpeedCategory>
    <RouteClassPayloads>

<RouteClass>A</RouteClass>

<MaxPayload>30.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>
```

120 Rue Marc Lefrancq | BP 20392 | FR-59307 Valenciennes Cedex
Tel. +33 (0)327 09 65 00 | era.europa.eu

```

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>C</RouteClass>

<MaxPayload>48.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>D</RouteClass>

<MaxPayload>56.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  </LoadTable>
  <LoadTable>
    <LoadTableProduct>

<ProductUNCode>1012</ProductUNCode>

<ProductRIDName>Butylene
mixtures</ProductRIDName>
    </LoadTableProduct>

<SpeedCategory>100</SpeedCategory>

<SpeedCategory>120</SpeedCategory>
    <RouteClassPayloads>

<RouteClass>A</RouteClass>

<MaxPayload>30.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>B</RouteClass>

<MaxPayload>38.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>C</RouteClass>

<MaxPayload>48.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    <RouteClassPayloads>

<RouteClass>D</RouteClass>

<MaxPayload>56.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    </LoadTable>
    <LoadTable>
      <LoadTableProduct>

<ProductUNCode>1011</ProductUNCode>

```

```

<ProductRIDName>Butane</ProductRIDName>
  </LoadTableProduct>

<SpeedCategory>100</SpeedCategory>

<SpeedCategory>120</SpeedCategory>
  <RouteClassPayloads>

<RouteClass>A</RouteClass>

<MaxPayload>30.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>B</RouteClass>

<MaxPayload>38.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>C</RouteClass>

<MaxPayload>48.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>D</RouteClass>

<MaxPayload>56.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
    </LoadTable>
    <LoadTable>
      <LoadTableProduct>

<ProductUNCode>1010</ProductUNCode>

<ProductRIDName>1.3
Butadiene</ProductRIDName>
    </LoadTableProduct>

<SpeedCategory>100</SpeedCategory>

<SpeedCategory>120</SpeedCategory>
  <RouteClassPayloads>

<RouteClass>A</RouteClass>

<MaxPayload>30.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

<RouteClass>B</RouteClass>

<MaxPayload>38.0</MaxPayload>

<MaxPayload>0.0</MaxPayload>

</RouteClassPayloads>
  <RouteClassPayloads>

```

```

<RouteClass>C</RouteClass>
<MaxPayload>48.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>D</RouteClass>
<MaxPayload>56.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  </LoadTable>
  <LoadTable>
    <LoadTableProduct>
<ProductUNCode>1969</ProductUNCode>
<ProductRIDName>Isobutane</ProductRIDName>
  </LoadTableProduct>
<SpeedCategory>200</SpeedCategory>
<SpeedCategory>140</SpeedCategory>
  <RouteClassPayloads>
<RouteClass>A</RouteClass>
<MaxPayload>22.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>B</RouteClass>
<MaxPayload>38.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>C</RouteClass>
<MaxPayload>48.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  <RouteClassPayloads>
<RouteClass>D</RouteClass>
<MaxPayload>56.0</MaxPayload>
<MaxPayload>0.0</MaxPayload>
</RouteClassPayloads>
  </LoadTable>
<MaxDesignSpeed>200</MaxDesignSpeed>
  <AirBrake>
<NumberOfBrakes>1</NumberOfBrakes>
<BrakeSystem>YY</BrakeSystem>
  <AirBrakeType>3</AirBrakeType>

```

```

  <BrakingPowerVariationDevice>1</BrakingPowerVariationDevice>
    <AirBrakedMass>98</AirBrakedMass>
      <LoadChangeDevice>
<ChangeOverWeight>1111</ChangeOverWeight>
    <AirBrakedMassLoaded>68</AirBrakedMassLoaded>
  </LoadChangeDevice>
  <BrakeSpecialCharacteristics>2</BrakeSpecialCharacteristics>
    </AirBrake>
    <HandBrake>
      <HandBrakeType>2</HandBrakeType>
      <HandBrakedWeight>1111</HandBrakedWeight>
        </HandBrake>
        <BrakeBlock>
          <BrakeBlockName>K
organique/ XXX</BrakeBlockName>
      <CompositeBrakeBlockRetrofitted>false</CompositeBrakeBlockRetrofitted>
      <CompositeBrakeBlockInstallationDate>2015-03-20</CompositeBrakeBlockInstallationDate>
        </BrakeBlock>
      <LoadingCapacity>45.0</LoadingCapacity>
      <MaxGrossWeight>1111</MaxGrossWeight>
      <VapourReturnSystem>true</VapourReturnSystem>
    <FerryPermittedFlag>true</FerryPermittedFlag>
    <FerryRampAngle>2.5</FerryRampAngle>
      <TemperatureRange>
        <MaxTemp>50</MaxTemp>
        <MinTemp>-20</MinTemp>
      </TemperatureRange>
      <DateLastOverhaul>2098-03-15</DateLastOverhaul>
        <OverhaulValidityPeriod
xmlns="http://www.era.europa.eu/schemes/TAFTSI/3.0">
1</OverhaulValidityPeriod>
      <PermittedTolerance>0</PermittedTolerance>
      <PlannedDateNextOverhaul>2022-03-15</PlannedDateNextOverhaul>
      <DateOfNextTankInspection>2022-03-06</DateOfNextTankInspection>
        </DesignDataSet>
        </RollingStockDataset>
      </RollingStockDatasetMessage>

```