



Moving Europe towards a sustainable and
safe railway system without frontiers.

Thomas Kaspar
Leiter Funding Management
Competence Center (L.CBR 2Y)
DB Cargo AG
Rheinstr. 2,
55116 Mainz,
Germany

Valenciennes, 11/11/2025

**CEF Project Compliance Test Results – Activity 6 - INEA/CEF/TRAN/M2017/1483366 - 2017-DE-TM-0009-W
- DB TAF-TSI: Investing in digital communication infrastructure based on Telematics Application for Freight**

Dear Thomas Kaspar,

I confirm and certify herewith that the following TAF TSI functionality implemented by the company DB Cargo AG (Germany), within the project “Activity 6 - INEA/CEF/TRAN/M2017/1483366 - 2017-DE-TM-0009-W - DB TAF-TSI: Investing in digital communication infrastructure based on Telematics Application for Freight”, is compliant with the appropriate provisions of chapter 4.2.3.2. Train Composition Message of the [TAF-TSI Regulation \(EU\) 2021/541](#) and its [Technical Documents](#) (XSD version 3.4.1).

In this activity the company DB Cargo AG had to implement the TAF TSI Train Composition Message.

To enable the ERA verification, DB Cargo AG has sent on 10/10/2025 to ERA TAF TSI compliant Train Composition Messages (see Annex).

Mickael VARGA
European Union Agency for Railways
Operational Data Unit
Project Officer
Email: mickael.varga@era.europa.eu

Annex – DB Cargo AG messages

```

<ns1:TrainCompositionMessage
xmlns:ns1="http://www.era.europa.eu/schemes/TAFTSI/3
.4" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
xsi:schemaLocation="http://www.era.europa.eu/.../taf
_cat_complete.xsd">
  <MessageHeader>
    <MessageReference>

  <MessageType>3003</MessageType>

  <MessageTypeVersion>3.4.1.0</MessageTypeVers
ion>
    <MessageIdentifier>d2de8129-
523e-4f6f-8f4b-509de332cba5</MessageIdentifier>
    <MessageDateTime>2025-10-
06T15:02:39.364288787+02:00</MessageDateTime>
    </MessageReference>
    <Sender>
      CI_InstanceNumber="1">2180</Sender>
    <MessageDateTimeCreated>2025-10-
06T15:02:39.364288787+02:00</MessageDateTimeCreated>
    <Recipient>9876</Recipient>
  </MessageHeader>
  <MessageStatus>1</MessageStatus>
  <OperationalTrainNumberIdentifier>

  <OperationalTrainNumber>11111</OperationalTr
ainNumber>
    <ScheduledTimeAtHandover>2025-10-
06T19:50:00+02:00</ScheduledTimeAtHandover>
    <ScheduledDateTimeAtTransfer>2025-
10-06T20:04:00+02:00</ScheduledDateTimeAtTransfer>
    </OperationalTrainNumberIdentifier>
    <TrainCompositionJourneySection>
      <JourneySection>
        <JourneySectionOrigin>

        <CountryCodeISO>MT</CountryCodeISO>

        <LocationPrimaryCode>12345</LocationPrimaryC
ode>

        <PrimaryLocationName>City
      A</PrimaryLocationName>

        <BookedLocationDateTime>2025-10-
06T19:50:00+02:00</BookedLocationDateTime>
        </JourneySectionOrigin>
        <JourneySectionDestination>

        <CountryCodeISO>MT</CountryCodeISO>

        <LocationPrimaryCode>12345</LocationPrimaryC
ode>

        <PrimaryLocationName>City
      A</PrimaryLocationName>

        <BookedLocationDateTime>2025-10-
06T20:04:00+02:00</BookedLocationDateTime>
        </JourneySectionDestination>

    <ResponsibilityActualSection>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>

```

```

</ResponsibilityActualSection>
  </JourneySection>
  <TrainRunningData>
    <TrainRunningTechData>

  <TrainType>2</TrainType>

  <TrainWeight>1111</TrainWeight>

  <TrainLength>129</TrainLength>

  <TrainCC_System>44</TrainCC_System>

  <TrainMaxSpeed>100</TrainMaxSpeed>

  <MaxAxleWeight>1111</MaxAxleWeight>

  <BrakeType>1</BrakeType>

  <BrakingRatio>90</BrakingRatio>

  <BrakeWeight>1111</BrakeWeight>

  <NumberOfVehicles>6</NumberOfVehicles>

  <NumberOfAxes>24</NumberOfAxes>
    </TrainRunningTechData>

  <ExceptionalGaugingInd>false</ExceptionalGau
gingInd>

  <DangerousGoodsIndicator>true</DangerousGood
sIndicator>

  <Activities>
    <TrainActivity>

  <TrainActivityType>0001</TrainActivityType>
    </TrainActivity>

  <ActivityLocationIdent>

  <CountryCodeISO>MT</CountryCodeISO>

  <LocationPrimaryCode>12345</LocationPrimaryC
ode>

  <PrimaryLocationName>City
  A</PrimaryLocationName>

  </ActivityLocationIdent>
    </Activities>
  </TrainRunningData>
  <LocoIdent>

  <TractionType>21</TractionType>
    <LocoTypeNumber>

  <TypeCode1>9</TypeCode1>

  <TypeCode2>0</TypeCode2>

  <CountryCode>80</CountryCode>

  <SeriesNumber>1261</SeriesNumber>

  <SerialNumber>001</SerialNumber>
    </LocoTypeNumber>

  <TractionMode>11</TractionMode>

```

```

    </LocoIdent>
    <LivestockOrPeopleIndicator>0</LivestockOrPe
opleIndicator>
    <WagonData>
      <WagonNumberFreight>1111111111</WagonNumbe
rFreight>
      <WagonTrainPosition>1</WagonTrainPosition>
        <WagonOperationalData>
          <BrakeWeight>1111</BrakeWeight>
          <WagonMaxSpeed>100</WagonMaxSpeed>
          <DangerousGoodsIndication>
            <HazardIdentificationNumber>23</HazardIdenti
ficationNumber>
            <UN_Number>1965</UN_Number>
            <DangerLabel>2.1</DangerLabel>
            <RID_Class>2.1</RID_Class>
            <DangerousGoodsWeight>1111</DangerousGoodsWe
ight>
            <DangerousGoodsVolume>0.0</DangerousGoodsVol
ume>
            <LimitedQuantityIndicator>false</LimitedQuan
tityIndicator>
            </DangerousGoodsIndication>
            <RestrictionsDueToLoadOrDamage>70</Restricti
onsDueToLoadOrDamage>
            <RestrictionsDueToLoadOrDamage>71</Restricti
onsDueToLoadOrDamage>
              </WagonOperationalData>
              <WagonTechData>
                <LengthOverBuffers>1940</LengthOverBuffers>
                <WagonNumberOfAxes>4</WagonNumberOfAxes>
                <AirBrakeType>3</AirBrakeType>
                <BrakingPowerVariationDevice>1</BrakingPower
VariationDevice>
                <AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
                <HandBrakeType>2</HandBrakeType>
                <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
                <ParkingBrakeForce>21.2</ParkingBrakeForce>
                <CouplingType>1</CouplingType>
                <WagonWeightEmpty>99999</WagonWeightEmpty>
                <TechnicalRestrictions>11</TechnicalRestrict
ions>
                <TechnicalRestrictions>25</TechnicalRestrict
ions>

```

```

    <TechnicalRestrictions>70</TechnicalRestrict
ions>
      </WagonTechData>
      </WagonData>
      <WagonData>
        <WagonNumberFreight>1111111111</WagonNumbe
rFreight>
        <WagonTrainPosition>2</WagonTrainPosition>
          <WagonOperationalData>
            <BrakeWeight>1111</BrakeWeight>
            <WagonMaxSpeed>120</WagonMaxSpeed>
            <TotalLoadWeight>1111</TotalLoadWeight>
              </WagonOperationalData>
              <WagonTechData>
                <LengthOverBuffers>2320</LengthOverBuffers>
                <WagonNumberOfAxes>4</WagonNumberOfAxes>
                <AirBrakeType>3</AirBrakeType>
                <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>
                <AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
                <HandBrakeType>1</HandBrakeType>
                <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
                <ParkingBrakeForce>26.3</ParkingBrakeForce>
                <CouplingType>0</CouplingType>
                <WagonWeightEmpty>99999</WagonWeightEmpty>
                <TechnicalRestrictions>12</TechnicalRestrict
ions>
                <TechnicalRestrictions>70</TechnicalRestrict
ions>
              </WagonTechData>
              </WagonData>
              <WagonData>
                <WagonNumberFreight>1111111111</WagonNumbe
rFreight>
                <WagonTrainPosition>3</WagonTrainPosition>
                  <WagonOperationalData>
                    <BrakeWeight>1111</BrakeWeight>
                    <WagonMaxSpeed>100</WagonMaxSpeed>
                    <TotalLoadWeight>1111</TotalLoadWeight>
                      </WagonOperationalData>
                      <WagonTechData>
                        <LengthOverBuffers>2330</LengthOverBuffers>
                        <WagonNumberOfAxes>4</WagonNumberOfAxes>
                        <AirBrakeType>3</AirBrakeType>
                        <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>

```

```

        <AirBrakeSpecialCharacteristic>2</AirBrakeSp
        ecialCharacteristic>
        <HandBrakeType>1</HandBrakeType>
        <HandBrakeBrakedWeight>1111</HandBrakeBraked
        Weight>
        <ParkingBrakeForce>21.2</ParkingBrakeForce>
        <CouplingType>2</CouplingType>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
        <TechnicalRestrictions>12</TechnicalRestrict
        ions>
                </WagonTechData>
                </WagonData>
                <WagonData>
        <WagonNumberFreight>111111111111</WagonNumbe
        rFreight>
        <WagonTrainPosition>4</WagonTrainPosition>
                <WagonOperationalData>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>100</WagonMaxSpeed>
        <TotalLoadWeight>1111</TotalLoadWeight>
                </WagonOperationalData>
                <WagonTechData>
        <LengthOverBuffers>2330</LengthOverBuffers>
        <WagonNumberOfAxes>4</WagonNumberOfAxes>
        <AirBrakeType>3</AirBrakeType>
        <BrakingPowerVariationDevice>8</BrakingPower
        VariationDevice>
        <AirBrakeSpecialCharacteristic>2</AirBrakeSp
        ecialCharacteristic>
        <HandBrakeType>1</HandBrakeType>
        <HandBrakeBrakedWeight>1111</HandBrakeBraked
        Weight>
        <ParkingBrakeForce>20.2</ParkingBrakeForce>
        <CouplingType>2</CouplingType>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
        <TechnicalRestrictions>12</TechnicalRestrict
        ions>
                </WagonTechData>
                </WagonData>
                <WagonData>
        <WagonNumberFreight>111111111111</WagonNumbe
        rFreight>
        <WagonTrainPosition>5</WagonTrainPosition>
                <WagonOperationalData>
        <BrakeWeight>1111</BrakeWeight>
        <WagonMaxSpeed>120</WagonMaxSpeed>
        <TotalLoadWeight>1111</TotalLoadWeight>
    
```

```

        </WagonOperationalData>
        <WagonTechData>
        <LengthOverBuffers>2330</LengthOverBuffers>
        <WagonNumberOfAxes>4</WagonNumberOfAxes>
        <AirBrakeType>3</AirBrakeType>
        <BrakingPowerVariationDevice>8</BrakingPower
        VariationDevice>
        <AirBrakeSpecialCharacteristic>2</AirBrakeSp
        ecialCharacteristic>
        <HandBrakeType>0</HandBrakeType>
        <HandBrakeBrakedWeight>1111</HandBrakeBraked
        Weight>
        <CouplingType>0</CouplingType>
        <WagonWeightEmpty>99999</WagonWeightEmpty>
        <TechnicalRestrictions>12</TechnicalRestrict
        ions>
                </WagonTechData>
                </WagonData>
        </TrainCompositionJourneySection>
    </TrainCompositionMessage>
    <TrainCompositionMessage
    xmlns:ns1="http://www.era.europa.eu/schemes/TAFTSI/3
    .4" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
    instance" xsi:schemaLocation= ...
    /taf_cat_complete.xsd">
        <MessageHeader>
            <MessageReference>
                <MessageType>3003</MessageType>
                <MessageTypeVersion>3.4.1.0</MessageTypeVers
                ion>
                <MessageIdentifier>9e51152e-
                0d2e-45bd-b00d-1ac0760bd07d</MessageIdentifier>
                <MessageDateTime>2025-10-
                06T15:04:01.419156753+02:00</MessageDateTime>
                </MessageReference>
                <Sender>
                    CI_InstanceNumber="1">2180</Sender>
                <MessageDateTimeCreated>2025-10-
                06T15:04:01.419156753+02:00</MessageDateTimeCreated>
                <Recipient>9876</Recipient>
            </MessageHeader>
            <MessageStatus>1</MessageStatus>
            <OperationalTrainNumberIdentifier>
                <OperationalTrainNumber>11111</OperationalTr
                ainNumber>
                <ScheduledTimeAtHandover>2025-10-
                06T15:54:00+02:00</ScheduledTimeAtHandover>
                <ScheduledDateTimeAtTransfer>2025-
                10-06T18:21:00+02:00</ScheduledDateTimeAtTransfer>
            </OperationalTrainNumberIdentifier>
            <TrainCompositionJourneySection>
                <JourneySection>
                    <JourneySectionOrigin>
                        <CountryCodeISO>MT</CountryCodeISO>
                        <LocationPrimaryCode>12345</LocationPrimaryC
                        ode>
    
```

```

    <PrimaryLocationName>City
A</PrimaryLocationName>
    <BookedLocationDateTime>2025-10-
06T15:54:00+02:00</BookedLocationDateTime>
    </JourneySectionOrigin>
    <JourneySectionDestination>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    <BookedLocationDateTime>2025-10-
06T17:34:00+02:00</BookedLocationDateTime>
    </JourneySectionDestination>

    <ResponsibilityActualSection>

    <ResponsibleRU>9876</ResponsibleRU>

    <ResponsibleIM>1234</ResponsibleIM>

    </ResponsibilityActualSection>
    </JourneySection>
    <TrainRunningData>
    <TrainRunningTechData>

    <TrainType>2</TrainType>

    <TrainWeight>1111</TrainWeight>

    <TrainLength>416</TrainLength>

    <TrainCC_System>44</TrainCC_System>

    <TrainMaxSpeed>100</TrainMaxSpeed>

    <MaxAxleWeight>1111</MaxAxleWeight>

    <BrakeType>1</BrakeType>

    <BrakingRatio>86</BrakingRatio>

    <BrakeWeight>1111</BrakeWeight>

    <NumberOfVehicles>25</NumberOfVehicles>

    <NumberOfAxles>110</NumberOfAxles>
    </TrainRunningTechData>

    <ExceptionalGaugingInd>false</ExceptionalGau
gingInd>

    <DangerousGoodsIndicator>false</DangerousGoo
dsIndicator>
    <Activities>
    <TrainActivity>
    <TrainActivityType>0001</TrainActivityType>
    </TrainActivity>

    <ActivityLocationIdent>

    <CountryCodeISO>MT</CountryCodeISO>

    <LocationPrimaryCode>12345</LocationPrimaryC
ode>
    <PrimaryLocationName>City
A</PrimaryLocationName>
    <ActivityLocationIdent>
    </Activities>
    </TrainRunningData>
    <LocoIdent>

    <TractionType>11</TractionType>
    <LocoTypeNumber>

    <TypeCode1>9</TypeCode1>

    <TypeCode2>0</TypeCode2>

    <CountryCode>80</CountryCode>

    <SeriesNumber>6185</SeriesNumber>

    <SerialNumber>002</SerialNumber>
    </LocoTypeNumber>

    <TractionMode>11</TractionMode>
    </LocoIdent>

    <LivestockOrPeopleIndicator>0</LivestockOrPe
opleIndicator>
    <WagonData>
    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>1</WagonTrainPosition>
    <WagonOperationalData>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>120</WagonMaxSpeed>
    </WagonOperationalData>
    <WagonTechData>

    <LengthOverBuffers>1200</LengthOverBuffers>

    <WagonNumberOfAxles>4</WagonNumberOfAxles>

    <AirBrakeType>3</AirBrakeType>

    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>

    <AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>

    <HandBrakeType>1</HandBrakeType>

    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>

    <ParkingBrakeForce>21.8</ParkingBrakeForce>

    <CouplingType>3</CouplingType>

    <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
    </WagonData>
    <WagonData>

    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>

    <WagonTrainPosition>2</WagonTrainPosition>
    <WagonOperationalData>

    <BrakeWeight>1111</BrakeWeight>

    <WagonMaxSpeed>120</WagonMaxSpeed>
    </WagonOperationalData>

```

```

        <WagonTechData>
<LengthOverBuffers>1200</LengthOverBuffers>
<WagonNumberOfAxes>4</WagonNumberOfAxes>
<AirBrakeType>3</AirBrakeType>
<BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>
<AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
<HandBrakeType>0</HandBrakeType>
<HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
<CouplingType>0</CouplingType>
<WagonWeightEmpty>99999</WagonWeightEmpty>
</WagonTechData>
</WagonData>
<WagonData>
<WagonNumberFreight>11111111111</WagonNumbe
rFreight>
<WagonTrainPosition>3</WagonTrainPosition>
<WagonOperationalData>
<BrakeWeight>1111</BrakeWeight>
<WagonMaxSpeed>100</WagonMaxSpeed>
</WagonOperationalData>
<WagonTechData>
<LengthOverBuffers>1200</LengthOverBuffers>
<WagonNumberOfAxes>4</WagonNumberOfAxes>
<AirBrakeType>3</AirBrakeType>
<BrakingPowerVariationDevice>1</BrakingPower
VariationDevice>
<AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
<HandBrakeType>0</HandBrakeType>
<HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
<CouplingType>2</CouplingType>
<WagonWeightEmpty>99999</WagonWeightEmpty>
</WagonTechData>
</WagonData>
...
<WagonData>
<WagonNumberFreight>11111111111</WagonNumbe
rFreight>
<WagonTrainPosition>24</WagonTrainPosition>
<WagonOperationalData>
<BrakeWeight>1111</BrakeWeight>
<WagonMaxSpeed>120</WagonMaxSpeed>
</WagonOperationalData>
<WagonTechData>
    
```

```

<LengthOverBuffers>1550</LengthOverBuffers>
<WagonNumberOfAxes>2</WagonNumberOfAxes>
<AirBrakeType>3</AirBrakeType>
<BrakingPowerVariationDevice>1</BrakingPower
VariationDevice>
<AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
<HandBrakeType>0</HandBrakeType>
<HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
<CouplingType>0</CouplingType>
<WagonWeightEmpty>99999</WagonWeightEmpty>
</WagonTechData>
</WagonData>
</TrainCompositionJourneySection>
</TrainCompositionMessage>
<TrainCompositionMessage
xmlns:ns1="http://www.era.europa.eu/schemes/TAFTSI/3
.4" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation= ...
/taf_cat_complete.xsd">
<MessageHeader>
<MessageReference>
<MessageType>3003</MessageType>
<MessageTypeVersion>3.4.1.0</MessageTypeVers
ion>
<MessageIdentifier>b61a4708-
d4c8-492a-b0bc-54ec8174beb7</MessageIdentifier>
<MessageDateTime>2025-10-
06T15:05:24.712311779+02:00</MessageDateTime>
</MessageReference>
<Sender
CI_InstanceNumber="1">2180</Sender>
<MessageDateTimeCreated>2025-10-
06T15:05:24.712311779+02:00</MessageDateTimeCreated>
<Recipient>9876</Recipient>
</MessageHeader>
<MessageStatus>1</MessageStatus>
<OperationalTrainNumberIdentifier>
<OperationalTrainNumber>11111</OperationalTr
ainNumber>
<ScheduledTimeAtHandover>2025-10-
06T15:51:00+02:00</ScheduledTimeAtHandover>
<ScheduledDateTimeAtTransfer>2025-
10-06T16:13:00+02:00</ScheduledDateTimeAtTransfer>
</OperationalTrainNumberIdentifier>
<TrainCompositionJourneySection>
<JourneySection>
<JourneySectionOrigin>
<CountryCodeISO>MT</CountryCodeISO>
<LocationPrimaryCode>12345</LocationPrimaryC
ode>
<PrimaryLocationName>City
A</PrimaryLocationName>
<BookedLocationDateTime>2025-10-
06T15:51:00+02:00</BookedLocationDateTime>
    
```

```

        </JourneySectionOrigin>
        <JourneySectionDestination>
            <CountryCodeISO>MT</CountryCodeISO>
            <LocationPrimaryCode>12345</LocationPrimaryCode>
            <PrimaryLocationName>City
A</PrimaryLocationName>
            <BookedLocationDateTime>2025-10-06T16:13:00+02:00</BookedLocationDateTime>
            </JourneySectionDestination>
            <ResponsibilityActualSection>
            <ResponsibleRU>9876</ResponsibleRU>
            <ResponsibleIM>1234</ResponsibleIM>
            </ResponsibilityActualSection>
            </JourneySection>
            <TrainRunningData>
                <TrainRunningTechData>
                    <TrainType>2</TrainType>
                    <TrainWeight>1111</TrainWeight>
                    <TrainLength>456</TrainLength>
                    <TrainCC_System>44</TrainCC_System>
                    <TrainMaxSpeed>120</TrainMaxSpeed>
                    <MaxAxleWeight>1111</MaxAxleWeight>
                    <BrakeType>0</BrakeType>
                    <BrakingRatio>95</BrakingRatio>
                    <BrakeWeight>1111</BrakeWeight>
                    <NumberOfVehicles>23</NumberOfVehicles>
                    <NumberOfAxles>92</NumberOfAxles>
                    </TrainRunningTechData>
                    <ExceptionalGaugingInd>>false</ExceptionalGaugingInd>
                    <DangerousGoodsIndicator>>true</DangerousGoodsIndicator>
                    <Activities>
                        <TrainActivity>
                            <TrainActivityType>0001</TrainActivityType>
                            </TrainActivity>
                            <ActivityLocationIdent>
                                <CountryCodeISO>MT</CountryCodeISO>
                                <LocationPrimaryCode>12345</LocationPrimaryCode>
                                <PrimaryLocationName>City
A</PrimaryLocationName>
                            </ActivityLocationIdent>
                            </Activities>
                            </TrainRunningData>
                            <LocoIdent>
                                <TractionType>21</TractionType>
                                <LocoTypeNumber>
                                    <TypeCode1>9</TypeCode1>
                                    <TypeCode2>0</TypeCode2>
                                    <CountryCode>80</CountryCode>
                                    <SeriesNumber>3294</SeriesNumber>
                                    <SerialNumber>001</SerialNumber>
                                    </LocoTypeNumber>
                                    <TractionMode>11</TractionMode>
                                    </LocoIdent>
                                    <LivestockOrPeopleIndicator>1</LivestockOrPeopleIndicator>
                                    <WagonData>
                                        <WagonNumberFreight>111111111111</WagonNumberFreight>
                                        <WagonTrainPosition>1</WagonTrainPosition>
                                        <WagonOperationalData>
                                            <BrakeWeight>1111</BrakeWeight>
                                            <WagonMaxSpeed>140</WagonMaxSpeed>
                                            <RestrictionsDueToLoadOrDamage>09</RestrictionsDueToLoadOrDamage>
                                            <RestrictionsDueToLoadOrDamage>16</RestrictionsDueToLoadOrDamage>
                                            </WagonOperationalData>
                                            <WagonTechData>
                                                <LengthOverBuffers>2640</LengthOverBuffers>
                                                <WagonNumberOfAxles>4</WagonNumberOfAxles>
                                                <BrakingPowerVariationDevice>0</BrakingPowerVariationDevice>
                                                <AirBrakeSpecialCharacteristic>0</AirBrakeSpecialCharacteristic>
                                                <HandBrakeType>2</HandBrakeType>
                                                <HandBrakeBrakedWeight>1111</HandBrakeBrakedWeight>
                                                <CouplingType>0</CouplingType>
                                                <WagonWeightEmpty>99999</WagonWeightEmpty>
                                                <TechnicalRestrictions>16</TechnicalRestrictions>
                                                <TechnicalRestrictions>70</TechnicalRestrictions>
                                                </WagonTechData>
                                                </WagonData>
                                                <WagonData>
                                                    <WagonNumberFreight>111111111111</WagonNumberFreight>
                                                    <WagonTrainPosition>2</WagonTrainPosition>
                                                    <WagonOperationalData>
                                                        <BrakeWeight>1111</BrakeWeight>

```

```

    <WagonMaxSpeed>120</WagonMaxSpeed>
    <DangerousGoodsIndication>
    <UN_Number>0321</UN_Number>
    <DangerLabel>1</DangerLabel>
    <RID_Class>1</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWeight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
    <LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
  </DangerousGoodsIndication>
  <DangerousGoodsIndication>
  <UN_Number>0321</UN_Number>
  <DangerLabel>1</DangerLabel>
  <RID_Class>1</RID_Class>
  <DangerousGoodsWeight>1111</DangerousGoodsWeight>
  <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
  <LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
</DangerousGoodsIndication>
<DangerousGoodsIndication>
<UN_Number>0321</UN_Number>
<DangerLabel>1</DangerLabel>
<RID_Class>1</RID_Class>
<DangerousGoodsWeight>1111</DangerousGoodsWeight>
<DangerousGoodsVolume>0.0</DangerousGoodsVolume>
<LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
</DangerousGoodsIndication>
<RestrictionsDueToLoadOrDamage>16</RestrictionsDueToLoadOrDamage>
  <TotalLoadWeight>1111</TotalLoadWeight>
  </WagonOperationalData>
  <WagonTechData>
  <LengthOverBuffers>1970</LengthOverBuffers>
  <WagonNumberOfAxes>4</WagonNumberOfAxes>
  <AirBrakeType>3</AirBrakeType>
  <BrakingPowerVariationDevice>8</BrakingPowerVariationDevice>

```

```

  <AirBrakeSpecialCharacteristic>2</AirBrakeSpecialCharacteristic>
  <HandBrakeType>0</HandBrakeType>
  <HandBrakeBrakedWeight>1111</HandBrakeBrakedWeight>
  <CouplingType>0</CouplingType>
  <WagonWeightEmpty>99999</WagonWeightEmpty>
  </WagonTechData>
  </WagonData>
  <WagonData>
  <WagonNumberFreight>111111111111</WagonNumberFreight>
  <WagonTrainPosition>3</WagonTrainPosition>
  <WagonOperationalData>
  <BrakeWeight>1111</BrakeWeight>
  <WagonMaxSpeed>120</WagonMaxSpeed>
  <DangerousGoodsIndication>
  <UN_Number>0321</UN_Number>
  <DangerLabel>1</DangerLabel>
  <RID_Class>1</RID_Class>
  <DangerousGoodsWeight>1111</DangerousGoodsWeight>
  <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
  <LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
</DangerousGoodsIndication>
<DangerousGoodsIndication>
<UN_Number>0321</UN_Number>
<DangerLabel>1</DangerLabel>
<RID_Class>1</RID_Class>
<DangerousGoodsWeight>1111</DangerousGoodsWeight>
<DangerousGoodsVolume>0.0</DangerousGoodsVolume>
<LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
</DangerousGoodsIndication>
<DangerousGoodsIndication>
<UN_Number>0321</UN_Number>
<DangerLabel>1</DangerLabel>
<RID_Class>1</RID_Class>
<DangerousGoodsWeight>1111</DangerousGoodsWeight>
<DangerousGoodsVolume>0.0</DangerousGoodsVolume>
<LimitedQuantityIndicator>>false</LimitedQuantityIndicator>
</DangerousGoodsIndication>
<DangerousGoodsIndication>
<UN_Number>0321</UN_Number>
<DangerLabel>1</DangerLabel>
<RID_Class>1</RID_Class>
<DangerousGoodsWeight>1111</DangerousGoodsWeight>

```

```

    <DangerousGoodsVolume>0.0</DangerousGoodsVol
ume>
    <LimitedQuantityIndicator>>false</LimitedQuan
tityIndicator>
    </DangerousGoodsIndication>
    <RestrictionsDueToLoadOrDamage>16</Restricti
onsDueToLoadOrDamage>
    <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
    <LengthOverBuffers>1960</LengthOverBuffers>
    <WagonNumberOfAxes>4</WagonNumberOfAxes>
    <AirBrakeType>3</AirBrakeType>
    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>
    <AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
    <HandBrakeType>1</HandBrakeType>
    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
    <ParkingBrakeForce>11.1</ParkingBrakeForce>
    <CouplingType>0</CouplingType>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
    </WagonData>
    ...
    <WagonData>
    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>
    <WagonTrainPosition>21</WagonTrainPosition>
    </WagonOperationalData>
    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>120</WagonMaxSpeed>
    <DangerousGoodsIndication>
    <UN_Number>0168</UN_Number>
    <DangerLabel>1</DangerLabel>
    <RID_Class>1</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWe
ight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVol
ume>
    <LimitedQuantityIndicator>>false</LimitedQuan
tityIndicator>
    </DangerousGoodsIndication>
    <DangerousGoodsIndication>
    <UN_Number>0321</UN_Number>
    
```

```

    <DangerLabel>1</DangerLabel>
    <RID_Class>1</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWe
ight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVol
ume>
    <LimitedQuantityIndicator>>false</LimitedQuan
tityIndicator>
    </DangerousGoodsIndication>
    <DangerousGoodsIndication>
    <UN_Number>0048</UN_Number>
    <DangerLabel>1</DangerLabel>
    <RID_Class>1</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWe
ight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVol
ume>
    <LimitedQuantityIndicator>>false</LimitedQuan
tityIndicator>
    </DangerousGoodsIndication>
    <RestrictionsDueToLoadOrDamage>16</Restricti
onsDueToLoadOrDamage>
    <RestrictionsDueToLoadOrDamage>70</Restricti
onsDueToLoadOrDamage>
    <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
    <LengthOverBuffers>1960</LengthOverBuffers>
    <WagonNumberOfAxes>4</WagonNumberOfAxes>
    <AirBrakeType>3</AirBrakeType>
    <BrakingPowerVariationDevice>8</BrakingPower
VariationDevice>
    <AirBrakeSpecialCharacteristic>2</AirBrakeSp
ecialCharacteristic>
    <HandBrakeType>0</HandBrakeType>
    <HandBrakeBrakedWeight>1111</HandBrakeBraked
Weight>
    <CouplingType>0</CouplingType>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
    </WagonTechData>
    </WagonData>
    <WagonData>
    <WagonNumberFreight>111111111111</WagonNumbe
rFreight>
    <WagonTrainPosition>22</WagonTrainPosition>
    </WagonOperationalData>
    
```

```

    <BrakeWeight>1111</BrakeWeight>
    <WagonMaxSpeed>120</WagonMaxSpeed>
    <DangerousGoodsIndication>
    <UN_Number>0048</UN_Number>
    <DangerLabel>1</DangerLabel>
    <RID_Class>1</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWeight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
    <LimitedQuantityIndicator>false</LimitedQuantityIndicator>
  </DangerousGoodsIndication>
  <DangerousGoodsIndication>
    <UN_Number>0012</UN_Number>
    <DangerLabel>1.4</DangerLabel>
    <RID_Class>1.4</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWeight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
    <LimitedQuantityIndicator>false</LimitedQuantityIndicator>
  </DangerousGoodsIndication>
  <DangerousGoodsIndication>
    <UN_Number>0012</UN_Number>
    <DangerLabel>1.4</DangerLabel>
    <RID_Class>1.4</RID_Class>
    <DangerousGoodsWeight>1111</DangerousGoodsWeight>
    <DangerousGoodsVolume>0.0</DangerousGoodsVolume>
    <LimitedQuantityIndicator>false</LimitedQuantityIndicator>
  </DangerousGoodsIndication>
  <RestrictionsDueToLoadOrDamage>16</RestrictionsDueToLoadOrDamage>
  <RestrictionsDueToLoadOrDamage>70</RestrictionsDueToLoadOrDamage>
  <TotalLoadWeight>1111</TotalLoadWeight>
    </WagonOperationalData>
    <WagonTechData>
    <LengthOverBuffers>1970</LengthOverBuffers>
    <WagonNumberOfAxes>4</WagonNumberOfAxes>
    <AirBrakeType>3</AirBrakeType>
    <BrakingPowerVariationDevice>8</BrakingPowerVariationDevice>
    <AirBrakeSpecialCharacteristic>2</AirBrakeSpecialCharacteristic>
    <HandBrakeType>0</HandBrakeType>
    <HandBrakeBrakedWeight>1111</HandBrakeBrakedWeight>
    <CouplingType>0</CouplingType>
    <WagonWeightEmpty>99999</WagonWeightEmpty>
      </WagonTechData>
    </WagonData>
  </TrainCompositionJourneySection>
</TrainCompositionMessage>

```