											Train nu	ımber:	Dep	arture date	:		
Into	rnotio	nal	hroko	abaa	4 0 5	ر ام.	.	an lia	\ <u> </u>		5.	. Countr	y code				
	rnatio		in number				vage	או ווכ	δί								
1. Issuir	ng RU	3. Departure date			6. Train profile:												
4a. Vali	d from statio	on	4b. \		7. v _{max} , km/h:												
Train p	arameters																
8. Rema	arks during t	the jour	ney			g). Specia	al feature	es of the t	rain							
10 Г)angerous g	oods in	train	16a. Valid	from st	ation	16b. V	′alid to st	ation	16c. \	/alid from	station	16d. V	alid to s	tation		
	exceptional of						100 #	of lost w		170 +			18c. # of last wagon				
	ain	_		17a. # of first wagon			10a. #	of last w	ragon	17C. #	of first wa	agon	100. #	or iast v	or last wagon		
12. Additional documents about restrictions added				a	<u>b</u>		а	a+b		С		d		c+d			
13. Waste shipments in train				Active locomotiv	Wagons and inactive locomotives		To	Total		Active locomotives		Wagons and inactive locomotives		otal			
19. Count, pcs																	
20. Len	gth, m																
21. Han	d brake hol	ding for	ce, t / kN														
22. Bral	ked weight a	after ded	duction, t														
23. Gross weight, t																	
14. Required line classification G				2	4. Avai	lable b	brake %:				24. Av	ailable b	orake %:				
P GP			2	5. Req	uired b	l brake %:				25. Re	quired b	orake %:					
P+LL R					26. Mis	ssing b	rake %:	:			26. M	lissing b	orake %:				
		27. % of I			ht braked on blocks:			27. %	% of brake		t braked i blocks:						
Active	locomotive	s in tra	in l		Dy Ca	351 11 011	i biocks.				Бу	cast ii Oi	i biocks.				
28. 29.				30. 31.			32.	33.			35. 36.			37.			
Seq. Number			axles			ength over ffers, m	Gross weight, kg	Brake block type	Brake position	Braked weight, t		Remarks					
1 11 11 11 11 11																	
2																	
3																	
4																	
5																	
38. Date	e of issue		39. Time o	of issue	40.	Issue	d by										
41. Date of review 42. Time				of review	43.	Revie	wed by			4	44.Remark						

Field explanations:

Field expl	anations:											
1.	The RU issuing the brake sheet.											
2.		The number of the train valid at departure from the "Valid from station" (field 4a). This information is repeated in the header of each page.										
3.	The departure date of the train valid at departure from the "Valid from station" (field 4a). This information is repeated in the header of each page.											
4a.	The station from which this brake sheet and wagon list is valid, written in text.											
4b.	The station until which this brake sheet and wagon list is valid, written in text. ISO codes of countries in which this brake sheet is valid, fields 6 and 7 are to be filled according to the given country.											
5.	The train index (e.g. ME100). In the absence of index the timetabled train type (e.g. P or G). In Switzerland the "Zugreihe" and "Bremsreihe" (e.g. A50).											
6.	Provided per country.											
	The maximum technically allowed speed of this train consist by considering the train profile and spe	eed limits applied to v	vehicles in the train. Provided									
7.	per country.											
8.	Space for remarks about incidents and observations during the journey.											
9.	Direct explanations or references to attached documents that describe the special features of the t	rain.										
10.	Tick if there are any goods with RID marking in the train.											
11.	Tick if there are any shipments in the train that are marked as exceptional consignment (i.e. permis).									
12.	Tick if there are additional documents added to the brake sheet that describe further restrictions applying to the train.											
13.	Tick if there are waste transports in train. The highest railway line electification required by vehicles present in the train according to their leading condition. For the range of A. C. only a letter											
14.	The highest railway line classification required by vehicles present in the train according to their loading condition. For the range of A-C only a letter (e.g. C) is to be given, starting from line class D also a number (e.g. D2) must be provided.											
15.	Brake setting of the train to be ticked: "G", "P", "GP" (locomotives in G and wagons in P), "P+LL" (Lo	ng Locomotive) or "R	ш									
16a. / 16c.	The second of th											
-			e used for indicating the stretch									
16b. / 16d.	The station until which these train parameters are valid, written in text.		fields 19-27 is valid, should train in route. Several stretches are to									
17a. / 17c.	The number of the first wagon after the locomotive on the given stretch.	-	reation of a new brake sheet is									
18a. / 18c.	The number of the last wagon in the wagon rake on the given stretch.	not possible.										
19.	The counted number of vehicles in train.											
20.	The summed length over buffers of vehicles in the train, given in whole meters (rounded up).		Data to be provided for:									
	The summed hand brake holding force of vehicles that have hand brakes, either only in kN or in tor	ns as well as kN	a / c) active locomotives									
21.	(rounded down). Tons and kN are to be separated by a slash '/' sign. The hand brake holding force	of the locomotive	in the train									
	may only be included in case it remains coupled to the train at all times when stopped en route.		b / d) wagons and									
	The braked weight of vehicles in train after foreseen deductions, given in whole tons (rounded dow	•	inactive locomotives in									
22.	electrodynamic brakes (E-brakes) are also included in the braked weight calculation, the value with		the train									
	brakes is to be provided, separated by a slash '/' sign. E-brakes may only be included in case the rolling stock used and a+b / c+d) the overall											
23.	the infrastructure conditions ensure that E-brakes are available at all times when braking a moving train. The green which of whicles in the train given in whale tens (resulted up)											
24.	The gross weight of vehicles in the train, given in whole tons (rounded up). The available brake ratio of this train, given in %.											
25.	The highest required brake ratio on the foreseen route for this train, given in %.											
	The missing brake ratio, given in % points. To be filled in case the available brake ratio remains below	ow the highest require	ed brake ratio, thus									
26.	demanding operation in degraded mode.		,									
27.	The proportion of braked weight that is provided by wagons braked by using cast iron blocks, given	in %.										
28.	The sequence of the locomotive in train consist, starting from the head of the train. Counting starts with 1.											
29.	Locomotive EVN number according to the UIC standard coding, digit groups (1-2, 3-4, 5-8, 9-11 and 12) are to be separated by a space.											
30.	Locomotive class.											
31.	The counted number of axles the locomotive has.											
32.	Length over buffers of the locomotive, given in meters with two digits after comma.											
33.	Gross weight of the locomotive, given in kg. The type of brake blocks used in the locomotive, abbreviations to be used:											
	K - K-blocks											
	L - L-blocks,											
34.	LL - LL-blocks											
	D - disc brakes											
	F - cast iron blocks											
35.	The brake position set at the given locomotive (G, P, E), several brake systems to be marked by using a plus '+' sign (e.g. P+E).											
36.	The braked weight of the locomotive as applicable for the given brake position, given in tons (round											
37.	Any further remarks about the locomotive in a free text form (e.g. a comment that the locomotive is at the rear or middle of the train).											
38.	The date on which the brake sheet was created. This field is mandatory.											
39.	The time at which the brake sheet was created. This field is mandatory.		. h									
40.	The name and signature of the person who created the brake sheet. Alternatively, an ID code or an	y other reference car	n be used that ensures the user									
41.	is traceable in the IT system of the RU issuing the document. This field is mandatory. The date on which the brake sheet was either enhanced, corrected or additionally checked, should this be necessary.											
42.	The time at which the brake sheet was either enhanced, corrected or additionally checked, should this be necessary. The time at which the brake sheet was either enhanced, corrected or additionally checked, should this be necessary.											
	The name and signature of the person who performed the enhancement, correction or additional of		n ID code or any other									
43.	reference can be used that ensures the user is traceable in the IT system of the RU issuing the docu											
44.	An explanation in free text describing the reason why fields 41-43 were used.											

										Tra	ain numbe	r:	Train date:		Valid from station:			Valid to station:
	n list (wagons and	l inactive																
45.	46.		47.	48.	49.	50.	51.	5	2.	53.			55.	56.	57.	58.	59.	
Seq. Number			les	Length over	Weight of load,	Gross weight, kg		Braked weight, t		Hand brake	RID		onal nent	Destination	n/h	l line ation	Remarks	
			# of axles	buffers, m	kg	кg	Brake block type	Р	G	holding force, t / kN	Hazard No	UN No	Danger Label	Exception consignr		V _{max} , km/h	Required line classification	
			1															
		1111																
	11 11 1111																	
		TOTAL																
		TOTAL:									J				l t	ne list	contini	ues on the next page
60. Da	ate of issue	61. Tim	e of is	sue	62. Issued	d by												
63. Date of review 6		64. Time of review			65. Reviewed by					66.	6. Remark							

Field explanations:

45.	The sequence of the wagon in the wagon rake (active locomotives are not counted). Counting starts with 1.
46.	Wagon EVN number according to the UIC standard coding, digit groups (1-2, 3-4, 5-8, 9-11 and 12) are to be separated by a space.
47.	The counted number of axles the wagon has.
48.	Length over buffers of the wagon, given in meters with two digits after comma.
49.	Weight of load on the wagon, given in kilograms.
50.	Gross weight of the wagon, given in kilograms.
51.	The type of brake blocks used in the wagon, abbreviations to be used:
	K - K-blocks
	L - L-blocks,
	LL-LL-blocks
	D - disc brakes
	F - cast iron blocks
52.	The braked weight of the wagon before foreseen deductions, given in tons (rounded down). For P-wagons the column P is to be filled, for G-wagons and M-wagons (Matrossow brakes) the column G is to be filled. In case of Matrossow
	brakes an additional remark 'Matrossow' is to be made in field 59. In case of inactive brakes a minus '-' sign is to be used.
53.	The hand brake holding force of the vehicle in case it has hand brakes, either only in kN or in tons as well as kN (all rounded down). Tons and kN to be separated by a slash '/' sign. In case of no hand brakes available, a minus '-' sign is
	to be filled in.
54.	The RID UN Numbers, Hazard Numbers and Danger Labels applying to the goods in the wagon. In case several RID codes apply then additional rows can be used for the same wagon. In case of no RID a minus sign '-' is to be used.
55.	Tick if there is a shipment in the wagon that is marked as an exceptional consignment, i.e. there is a permission number present. In case it is an exceptional consignment only in some countries, a remark is to be made in field 59.
56.	The destination station name of the wagon, written in text.
57.	The maximum permitted speed of the wagon according to the wagon (**, ***) and load condition, given in km/h. Statements about potential country-specific speed limits are to be filled in field 59.
58.	The railway line classification required for this wagon according to its loading condition. For the range of A-C only a letter (e.g. C) is to be given, starting from line class D also a number (e.g. D2) must be provided.
59.	Any further remarks about the wagon in free text form, e.g. statements about goods with specific risk on board or potential country-specific speed limitations for certain wagons.
60.	The date on which the wagon list was created. This field is mandatory.
61.	The time at which the wagon list was created. This field is mandatory.
62.	The name and signature of the person who created the wagon list. Alternatively, an ID code or any other reference can be used that ensures the user is traceable in the IT system of the RU issuing the document. This field is mandatory.
63.	The date on which the wagon list was either enhanced, corrected or additionally checked, should this be necessary.
64.	The time at which the wagon list was either enhanced, corrected or additionally checked, should this be necessary.
65.	The name and signature of the person who performed the enhancement, correction or additional check. Alternatively, an ID code or any other reference can be used that ensures the user is traceable in the IT system of the RU issuing
	the document.
66.	An explanation in free text describing the reason why fields 63-65 were used.