

EUROPEAN RAILWAY AGENCY - INTEROPERABILITY UNIT		
REFERENCE:	DOCUMENT TYPE:	TAF TSI COMPLIANCE TEST REPORT - HITRAIL
VERSION: 1.0		
DATE: 31/10/2017		

Making the railway system
work better for society.

EUROPEAN RAILWAY AGENCY

Table of Contents

1 Scope.....	3
2 System Design	3
3 Roles.....	3
4 Test Cases.....	4
5 Results	4
6 Conclusions	6
Annex	7

Making the railway system
work better for society

1 Scope

This document defines the testing process performed to evaluate the compliance of the messages exchanged between Railway Undertakings (RUs) and Infrastructure Managers (IMs) developed by HITRAIL against the TAF TSI data catalogue. (<http://www.era.europa.eu/Document-Register/Pages/Technical-Documents.aspx>)

2 System Design

HITRAIL provided ERA in March 2017 with an excel file describing different cases of train paths accompanied with a set of corresponding XML messages enabling ERA to perform this evaluation.

3 Roles

The team of the European Railway Agency in charge of the regulation TAF TSI has performed the tests and has documented the results of the test campaign.

4 Test Cases

This section defines different stages of a train path message.

These test cases will allow proving that the ALTOVA XML Spy 2016 tool will validate the XML messages provided by HITRAIL. The expected test results is that the XML messages are valid (and well formed) vis-à-vis the TAF TSI data catalogue.

The message process according to [HitRail's own Path Request tool](#) covers the following steps:

- a) Send path request to IM (7M54_1.xml)
- b) Send receipt confirmation (7M54_2.xml)
- c) Send path offer (7M54_3.xml)
- d) Automatically send receipt confirmation (7M54_4.xml)
- e) Accept offer (7M54_5.xml)
- f) Send receipt confirmation (7M54_6.xml)
- g) Send path booked (7M54_7.xml)
- h) Automatically send receipt confirmation (7M54_8.xml)
- i) Refuse offer (nfr5.xml)
- j) Cancel booked path (nfc9.xml)
- k) Send path not available (7M54.pna.xml)
- l) Send no alternative available (7M54.nna.xml)

Making the railway system
work better for society.



Message by Railways Undertakings

Message by Infrastructure Manager

* Between the message exchanged the RUs and IMs need to send confirming the reception of the different messages.

According to the TAF TSI the message processing is as follows:

- Path Request message (4.2.2.2)
- Path Details message (4.2.2.3)
- Path Confirmed message (4.2.2.4)
- Path Details Refused message (4.2.2.5)
- Path Cancelled message (4.2.2.6)
- Path Not Available message (4.2.2.7)
- Receipt Confirmation message (4.2.2.8)

All above messages have their corresponding message definitions in the TAF TSI data catalogue (see chapter 1 above).

Making the railway system
work better for society.

The correspondence between aforementioned HitRail messages and the TAF ones can be found below in the table:

TAF TSI	HITRAIL
Path Request message	a
Path Details message	c - l
Path Confirmed message	e
Path Details Refused message	i
Path Cancelled message	j
Path Not Available message	k
Receipt Confirmation message	b - d - f - h

5 Results

5.1 Send path request to IM (a)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.2 Send receipt confirmation (b)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.3 Send path offer (c)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.4 Automatically send receipt confirmation (d)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.5 Accept offer (e)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.6 Send receipt confirmation (f)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.7 Send path booked (g)

Making the railway system
work better for society.

HitRail's XML message is valid against the TAF TSI data catalogue.

5.8 Automatically send receipt confirmation (h)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.9 Refuse offer (i)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.10 Cancel booked path (j)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.11 Send path not available (k)

HitRail's XML message is valid against the TAF TSI data catalogue.

5.12 Send no alternative available (l)

HitRail's XML message is valid against the TAF TSI data catalogue.

Test results summary	
Test run on :	15 October 2017
Test result :	passed
Test run by:	cuadrdi
Test validated:	vargami

6 Conclusions

The tests performed by ERA based on agreement with HITRAIL to validate the compliance of the messages exchanged delivered satisfactory results.

The organization HITRAIL may therefore use the results of the assessment performed by ERA as a proof of the compliance of its own Path Request tool against the TAF TSI data catalogue.

Making the railway system
work better for society.

Annex – HitRail messages used for compliance testing

1) Send path request to IM (7M54_1.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathRequestMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
  file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
  <tsi:MessageHeader>
    <tsi:MessageReference>
      <tsi:MessageType>2006</tsi:MessageType>
      <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
      <tsi:MessageIdentifier>b7c7047d-b862-42c6-9d58-
506f3c05e5a5</tsi:MessageIdentifier>
      <tsi:MessageDateTime>2017-02-
20T09:01:06.984+01:00</tsi:MessageDateTime>
    </tsi:MessageReference>
    <tsi:Sender>Company A</tsi:Sender>
    <tsi:Recipient>Company B</tsi:Recipient>
  </tsi:MessageHeader>
  <tsi:AdministrativeContactInformation>
    <tsi:Name>Mr X</tsi:Name>
    <tsi:Address>null null, null</tsi:Address>
    <tsi:eMail>mrx@company.y</tsi:eMail>
  </tsi:AdministrativeContactInformation>
  <tsi:Identifiers>
    <tsi:PlannedTransportIdentifiers>
      <tsi:ObjectType>TR</tsi:ObjectType>
      <tsi:Company>1234</tsi:Company>
      <tsi:Core>-----7M26B</tsi:Core>
      <tsi:Variant>00</tsi:Variant>
      <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
      <tsi:ObjectType>PR</tsi:ObjectType>
      <tsi:Company>1234</tsi:Company>
      <tsi:Core>-----7M54</tsi:Core>
      <tsi:Variant>00</tsi:Variant>
      <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
  </tsi:Identifiers>
  <tsi:MessageStatus>1</tsi:MessageStatus>
  <tsi:CoordinatingIM>70</tsi:CoordinatingIM>
  <tsi:LeadRU>2170</tsi:LeadRU>
  <tsi>TypeOfRequest>2</tsi>TypeOfRequest>
  <tsi>TypeOfInformation>5</tsi>TypeOfInformation>

```

Making the railway system
work better for society.

```

<tsi:TrainInformation>
    <tsi:PlannedJourneyLocation>
        <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
        <tsi:TimingAtLocation>
            <tsi:Timing TimingQualifierCode="ELD">
                <tsi:Time>22:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="ALD">
                <tsi:Time>22:50:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="LLD">
                <tsi:Time>00:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
        </tsi:TimingAtLocation>
        <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
        <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
        <tsi:PlannedTrainData>
            <tsi:TrainType>2</tsi:TrainType>
            <tsi:PlannedTrainTechnicalData>
                <tsi:TrainWeight>360</tsi:TrainWeight>
                <tsi:TrainLength>140</tsi:TrainLength>

            <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

            <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
                <tsi:TractionDetails>
                    <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
                    <tsi:TractionMode>11</tsi:TractionMode>
                    <tsi:TractionWeight>90</tsi:TractionWeight>
                    <tsi:Length>
                        <tsi:Value>66</tsi:Value>
                        <tsi:Measure>ft</tsi:Measure>
                    </tsi:Length>
                </tsi:TractionDetails>
                <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
                <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
                <tsi:RouteClass>D4</tsi:RouteClass>
                <tsi:BrakeType>G</tsi:BrakeType>
                <tsi:BrakingRatio>70</tsi:BrakingRatio>
                <tsi:BrakeWeight>275</tsi:BrakeWeight>
            </tsi:PlannedTrainTechnicalData>
        </tsi:PlannedTrainData>
        <tsi:OperationalTrainNumber>7M26</tsi:OperationalTrainNumber>
    </tsi:PlannedJourneyLocation>
    <tsi:PlannedJourneyLocation>
        <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>G TOWN</tsi:PrimaryLocationName>
        <tsi:TimingAtLocation>
```


Making the railway system
work better for society.

```

<tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
<tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
<tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
<tsi:TimingAtLocation>
    <tsi:Timing TimingQualifierCode="ELD">
        <tsi:Time>22:00:00.000+01:00</tsi:Time>
        <tsi:Offset>0</tsi:Offset>
    </tsi:Timing>
    <tsi:Timing TimingQualifierCode="ALD">
        <tsi:Time>22:50:00.000+01:00</tsi:Time>
        <tsi:Offset>0</tsi:Offset>
    </tsi:Timing>
    <tsi:Timing TimingQualifierCode="LLD">
        <tsi:Time>00:00:00.000+01:00</tsi:Time>
        <tsi:Offset>0</tsi:Offset>
    </tsi:Timing>
</tsi:TimingAtLocation>
<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M26</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>C TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>23:20:00.000+01:00</tsi:Time>

```

Making the railway system
work better for society.

```

        <tsi:Offset>0</tsi:Offset>
    </tsi:Timing>
</tsi:TimingAtLocation>
<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxeWeight>21</tsi:MaxAxeWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>A CITY</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>

```

Making the railway system
work better for society.

```

<tsi:TractionDetails>
    <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
    <tsi:TractionMode>11</tsi:TractionMode>
    <tsi:TractionWeight>90</tsi:TractionWeight>
    <tsi:Length>
        <tsi:Value>66</tsi:Value>
        <tsi:Measure>ft</tsi:Measure>
    </tsi:Length>
</tsi:TractionDetails>
<tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
<tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
<tsi:RouteClass>D4</tsi:RouteClass>
<tsi:BrakeType>G</tsi:BrakeType>
<tsi:BrakingRatio>70</tsi:BrakingRatio>
<tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>E LAKE</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:20:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>

```

Making the railway system
work better for society.

```

        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>F RIVER</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:40:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>G TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALA">
            <tsi:Time>01:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>

```


Making the railway system
work better for society.

```

xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2007</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>f72fd918-895f-4275-8dc2-
5181807f892d</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-02-
20T09:37:29.902+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:Sender>Company A</tsi:Sender>
        <tsi:Recipient> Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:RelatedReference>
        <tsi:RelatedType>2006</tsi:RelatedType>
        <tsi:RelatedIdentifier>b7c7047d-b862-42c6-9d58-
506f3c05e5a5</tsi:RelatedIdentifier>
        <tsi:RelatedMessageDateTime>2017-02-
20T09:01:06.984+01:00</tsi:RelatedMessageDateTime>
    </tsi:RelatedReference>
</tsi:ReceiptConfirmationMessage>
```

3) Send path offer (7M54_3.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathDetailsMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2003</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>26503527-111d-472b-b0cb-
56cdbbf5718a</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-02-
20T09:39:38.287+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:SenderReference>path offer</tsi:SenderReference>
        <tsi:Sender> Company A </tsi:Sender>
        <tsi:Recipient> Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:AdministrativeContactInformation>
        <tsi:Name>Mr X</tsi:Name>
        <tsi:Address> null null, null </tsi:Address>
    </tsi:AdministrativeContactInformation>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M26B</tsi:Core>
```

Making the railway system
work better for society.

```

<tsi:Variant>00</tsi:Variant>
<tsi:TimetableYear>2017</tsi:TimetableYear>
</tsi:PlannedTransportIdentifiers>
<tsi:PlannedTransportIdentifiers>
    <tsi:ObjectType>PR</tsi:ObjectType>
    <tsi:Company>1234</tsi:Company>
    <tsi:Core>-----7M54</tsi:Core>
    <tsi:Variant>00</tsi:Variant>
    <tsi:TimetableYear>2017</tsi:TimetableYear>
</tsi:PlannedTransportIdentifiers>
<tsi:PlannedTransportIdentifiers>
    <tsi:ObjectType>PA</tsi:ObjectType>
    <tsi:Company>1234</tsi:Company>
    <tsi:Core>-----7M54</tsi:Core>
    <tsi:Variant>00</tsi:Variant>
    <tsi:TimetableYear>2017</tsi:TimetableYear>
</tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi:CoordinatingIM>70</tsi:CoordinatingIM>
<tsi:LeadRU>2170</tsi:LeadRU>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi>TypeOfInformation>9</tsi>TypeOfInformation>
<tsi:PathInformation>
    <tsi:PlannedJourneyLocation>
        <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
        <tsi:TimingAtLocation>
            <tsi:Timing TimingQualifierCode="ELD">
                <tsi:Time>22:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="ALD">
                <tsi:Time>22:50:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="LLD">
                <tsi:Time>00:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
        </tsi:TimingAtLocation>
        <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
        <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
        <tsi:PlannedTrainData>
            <tsi:TrainType>2</tsi:TrainType>
            <tsi:PlannedTrainTechnicalData>
                <tsi:TrainWeight>360</tsi:TrainWeight>
                <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
```

Making the railway system
work better for society.

```

<tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
<tsi:TractionMode>11</tsi:TractionMode>
<tsi:TractionWeight>90</tsi:TractionWeight>
<tsi:Length>
    <tsi:Value>66</tsi:Value>
    <tsi:Measure>ft</tsi:Measure>
</tsi:Length>
</tsi:TractionDetails>
<tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
<tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
<tsi:RouteClass>D4</tsi:RouteClass>
<tsi:BrakeType>G</tsi:BrakeType>
<tsi:BrakingRatio>70</tsi:BrakingRatio>
<tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M26</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>C TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>23:20:00.000+01:00</tsi:Time>
            <tsi:Offset>0</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>

```

Making the railway system
work better for society.

```

        </tsi:PlannedTrainTechnicalData>
    </tsi:PlannedTrainData>
    <tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>A CITY</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
    <tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>E LAKE</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:20:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>

```

Making the railway system
work better for society.

```

<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>F RIVER</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:40:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>

```

Making the railway system
work better for society.

```

<tsi:TractionWeight>90</tsi:TractionWeight>
<tsi:Length>
    <tsi:Value>66</tsi:Value>
    <tsi:Measure>ft</tsi:Measure>
</tsi:Length>
</tsi:TractionDetails>
<tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
<tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
<tsi:RouteClass>D4</tsi:RouteClass>
<tsi:BrakeType>G</tsi:BrakeType>
<tsi:BrakingRatio>70</tsi:BrakingRatio>
<tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>G TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALA">
            <tsi:Time>01:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
```

Making the railway system
work better for society.

```

        <tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
    </tsi:PlannedJourneyLocation>
    <tsi:PlannedCalendar>

    <tsi:BitmapDays>111000000000000000000000000001111110011111111100000000000000000000000000
000000111111000000000000000000000000000011111100000000000000000000000000000000000011</tsi:BitmapDays>
        <tsi:ValidityPeriod>
            <tsi:StartDateTime>2017-04-03T00:00:00.000+02:00</tsi:StartDateTime>
            <tsi:EndDateTime>2017-08-29T00:00:00.000+02:00</tsi:EndDateTime>
        </tsi:ValidityPeriod>
    </tsi:PlannedCalendar>
</tsi:PathInformation>
</tsi:PathDetailsMessage>
```

4) Automatically send receipt confirmation (7M54_4.xml)

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:ReceiptConfirmationMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
  file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2007</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>7fcceb04-b9ed-45be-983d-
cd01e0a3f4cb</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-02-20T09:39:42.971+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:Sender>Company A</tsi:Sender>
        <tsi:Recipient> Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>----7M26B</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PA</tsi:ObjectType>
```

Making the railway system
work better for society.

```

<tsi:Company>1234</tsi:Company>
<tsi:Core>-----7M54</tsi:Core>
<tsi:Variant>00</tsi:Variant>
<tsi:TimetableYear>2017</tsi:TimetableYear>
</tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:RelatedReference>
    <tsi:RelatedType>2003</tsi:RelatedType>
    <tsi:RelatedIdentifier>26503527-111d-472b-b0cb-
56cddb5718a</tsi:RelatedIdentifier>
    <tsi:RelatedMessageDateTime>2017-02-
20T09:39:38.287+01:00</tsi:RelatedMessageDateTime>
</tsi:RelatedReference>
</tsi:ReceiptConfirmationMessage>

```

5) Accept offer (7M54_5.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathConfirmedMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
    file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2002</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>e131842d-abc5-4db7-aff7-
8bff79612d69</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-02-
20T09:41:15.141+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:Sender> Company A </tsi:Sender>
        <tsi:Recipient> Company B </tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:AdministrativeContactInformation>
        <tsi:Name>Mr X</tsi:Name>
        <tsi:Address>null null, null</tsi:Address>
        <tsi:eMail> mrx@company.y </tsi:eMail>
    </tsi:AdministrativeContactInformation>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M26B</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>

```

Making the railway system
work better for society.

```

        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>PA</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----7M54</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi>TypeOfInformation>19</tsi>TypeOfInformation>
</tsi:PathConfirmedMessage>
```

6) Send receipt confirmation (7M54_6.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:ReceiptConfirmationMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
    file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2007</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>b616cee8-d7f0-4dcc-8d07-
af1cf758e525</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-02-
20T09:41:45.722+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:Sender>Company A</tsi:Sender>
        <tsi:Recipient> Company B </tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:RelatedReference>
        <tsi:RelatedType>2002</tsi:RelatedType>
        <tsi:RelatedIdentifier>e131842d-abc5-4db7-aff7-
8bff79612d69</tsi:RelatedIdentifier>
        <tsi:RelatedMessageDateTime>2017-02-
20T09:41:15.141+01:00</tsi:RelatedMessageDateTime>
    </tsi:RelatedReference>
</tsi:ReceiptConfirmationMessage>
```

7) Send path booked (7M54_7.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathDetailsMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
    file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
```

Making the railway system
work better for society.

```

<tsi:MessageReference>
    <tsi:MessageType>2003</tsi:MessageType>
    <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
    <tsi:MessageIdentifier>2de566dd-7b0f-4dc5-b536-
513b93200ae1</tsi:MessageIdentifier>
    <tsi:MessageDateTime>2017-02-
20T09:42:14.904+01:00</tsi:MessageDateTime>
</tsi:MessageReference>
<tsi:SenderReference>path booked</tsi:SenderReference>
<tsi:Sender>Company A</tsi:Sender>
<tsi:Recipient> Company B </tsi:Recipient>
</tsi:MessageHeader>
<tsi:AdministrativeContactInformation>
    <tsi:Name>Mr X</tsi:Name>
    <tsi:Address> null null, null </tsi:Address>
</tsi:AdministrativeContactInformation>
<tsi:Identifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>TR</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----7M26B</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>PR</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----7M54</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>PA</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----7M54</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi:CoordinatingIM>70</tsi:CoordinatingIM>
<tsi:LeadRU>2170</tsi:LeadRU>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi>TypeOfInformation>22</tsi>TypeOfInformation>
<tsi:PathInformation>
    <tsi:PlannedJourneyLocation>
        <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
        <tsi:TimingAtLocation>
            <tsi:Timing TimingQualifierCode="ELD">
                <tsi:Time>22:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>

```

Making the railway system
work better for society.

```

<tsi:Timing TimingQualifierCode="ALD">
    <tsi:Time>22:50:00.000+01:00</tsi:Time>
    <tsi:Offset>0</tsi:Offset>
</tsi:Timing>
<tsi:Timing TimingQualifierCode="LLD">
    <tsi:Time>00:00:00.000+01:00</tsi:Time>
    <tsi:Offset>0</tsi:Offset>
</tsi:Timing>
</tsi:TimingAtLocation>
<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M26</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>C TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>23:20:00.000+01:00</tsi:Time>
            <tsi:Offset>0</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>

```

Making the railway system
work better for society.

```

<tsi:TrainWeight>360</tsi:TrainWeight>
<tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>A CITY</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>

```

Making the railway system
work better for society.

```

        </tsi:TractionDetails>
        <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
        <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
        <tsi:RouteClass>D4</tsi:RouteClass>
        <tsi:BrakeType>G</tsi:BrakeType>
        <tsi:BrakingRatio>70</tsi:BrakingRatio>
        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>E LAKE</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:20:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>

```

Making the railway system
work better for society.

```

<tsi:PrimaryLocationName>F RIVER</tsi:PrimaryLocationName>
<tsi:TimingAtLocation>
    <tsi:Timing TimingQualifierCode="ALD">
        <tsi:Time>00:40:00.000+01:00</tsi:Time>
        <tsi:Offset>1</tsi:Offset>
    </tsi:Timing>
</tsi:TimingAtLocation>
<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>1234</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>

<tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>

<tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
    <tsi:TractionDetails>
        <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
        <tsi:TractionMode>11</tsi:TractionMode>
        <tsi:TractionWeight>90</tsi:TractionWeight>
        <tsi:Length>
            <tsi:Value>66</tsi:Value>
            <tsi:Measure>ft</tsi:Measure>
        </tsi:Length>
    </tsi:TractionDetails>
    <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
    <tsi:MaxAxeleWeight>21</tsi:MaxAxeleWeight>
    <tsi:RouteClass>D4</tsi:RouteClass>
    <tsi:BrakeType>G</tsi:BrakeType>
    <tsi:BrakingRatio>70</tsi:BrakingRatio>
    <tsi:BrakeWeight>275</tsi:BrakeWeight>
</tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>G TOWN</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALA">
            <tsi:Time>01:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>

```


Making the railway system
work better for society.

```

        </tsi:MessageReference>
        <tsi:Sender>Company A</tsi:Sender>
        <tsi:Recipient> Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M26B</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PA</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
    </tsi:Identifiers>
    <tsi:RelatedReference>
        <tsi:RelatedType>2003</tsi:RelatedType>
        <tsi:RelatedIdentifier>2de566dd-7b0f-4dc5-b536-
513b93200ae1</tsi:RelatedIdentifier>
        <tsi:RelatedMessageDateTime>2017-02-
20T09:42:14.904+01:00</tsi:RelatedMessageDateTime>
    </tsi:RelatedReference>
</tsi:ReceiptConfirmationMessage>
```

9) Refuse offer (nfr5.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathDetailsRefusedMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2004</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>17cd3acc-e890-4a4d-9b29-
7a7749f5e485</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2016-12-
11T16:09:00.481+01:00</tsi:MessageDateTime>
        </tsi:MessageReference>
```

Making the railway system
work better for society.

```

<tsi:Sender>Company A</tsi:Sender>
<tsi:Recipient> Company B </tsi:Recipient>
</tsi:MessageHeader>
<tsi:AdministrativeContactInformation>
  <tsi:Name>Mr x</tsi:Name>
  <tsi:Address> null null, null </tsi:Address>
  <tsi:eMail> mrx@company.y </tsi:eMail>
</tsi:AdministrativeContactInformation>
<tsi:Identifiers>
  <tsi:PlannedTransportIdentifiers>
    <tsi:ObjectType>TR</tsi:ObjectType>
    <tsi:Company>1234</tsi:Company>
    <tsi:Core>-----75656A</tsi:Core>
    <tsi:Variant>00</tsi:Variant>
    <tsi:TimetableYear>2017</tsi:TimetableYear>
  </tsi:PlannedTransportIdentifiers>
  <tsi:PlannedTransportIdentifiers>
    <tsi:ObjectType>PR</tsi:ObjectType>
    <tsi:Company>1234</tsi:Company>
    <tsi:Core>-----75656</tsi:Core>
    <tsi:Variant>00</tsi:Variant>
    <tsi:TimetableYear>2017</tsi:TimetableYear>
  </tsi:PlannedTransportIdentifiers>
  <tsi:PlannedTransportIdentifiers>
    <tsi:ObjectType>PA</tsi:ObjectType>
    <tsi:Company>1234</tsi:Company>
    <tsi:Core>-----75656</tsi:Core>
    <tsi:Variant>00</tsi:Variant>
    <tsi:TimetableYear>2017</tsi:TimetableYear>
  </tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi>TypeOfInformation>20</tsi>TypeOfInformation>
<tsi:FreeTextField>some RU's text of reason of refusing path
offer</tsi:FreeTextField>
</tsi:PathDetailsRefusedMessage>
```

10) Cancel booked path (nfc9.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathCanceledMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.era.europa.eu/schemes/TAFTSI/2.1
  file:///C:/Users/boursch/Desktop/XML%20files/taf_cat_complete_baseline_2.1.xmd.xsd">
  <tsi:MessageHeader>
    <tsi:MessageReference>
      <tsi:MessageType>2001</tsi:MessageType>
      <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
      <tsi:MessageIdentifier>380eee54-a4b9-46d5-be63-
791661202cd8</tsi:MessageIdentifier>
```

Making the railway system
work better for society.

```

<tsi:MessageDateTime>2016-12-
11T18:40:14.873+01:00</tsi:MessageDateTime>
    </tsi:MessageReference>
    <tsi:Sender>Company A</tsi:Sender>
    <tsi:Recipient> Company B </tsi:Recipient>
</tsi:MessageHeader>
<tsi:AdministrativeContactInformation>
    <tsi:Name>Mr. X</tsi:Name>
    <tsi:Address> null null, null </tsi:Address>
    <tsi:eMail> mrx@company.y </tsi:eMail>
</tsi:AdministrativeContactInformation>
<tsi:Identifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>TR</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----54312A</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>PR</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----54312</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
    <tsi:PlannedTransportIdentifiers>
        <tsi:ObjectType>PA</tsi:ObjectType>
        <tsi:Company>1234</tsi:Company>
        <tsi:Core>-----54312</tsi:Core>
        <tsi:Variant>00</tsi:Variant>
        <tsi:TimetableYear>2017</tsi:TimetableYear>
    </tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi:AffectedSection>
    <tsi:StartOfSection>
        <tsi:CountryCodeISO>JP</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>A Hrad</tsi:PrimaryLocationName>
    </tsi:StartOfSection>
    <tsi:EndOfSection>
        <tsi:CountryCodeISO>JP</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>B Ves</tsi:PrimaryLocationName>
    </tsi:EndOfSection>
    <tsi:PlannedCalendar>
        <tsi:BitmapDays>1</tsi:BitmapDays>
        <tsi:ValidityPeriod>
            <tsi:StartDateTime>2017-04-
26T00:00:00.000+02:00</tsi:StartDateTime>
                <tsi:EndDateTime>2017-04-26T00:00:00.000+02:00</tsi:EndDateTime>
            </tsi:ValidityPeriod>

```

Making the railway system
work better for society.

```

        </tsi:PlannedCalendar>
    </tsi:AffectedSection>
</tsi:PathCanceledMessage>
```

11) Send path not available (7M54.pna.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathNotAvailableMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2005</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>4e45a226-c497-4d8e-ac18-
1c835c73535e</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-08-04T01:09:48.117+02:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:SenderReference>path not available</tsi:SenderReference>
        <tsi:Sender> Company A </tsi:Sender>
        <tsi:Recipient>Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:AdministrativeContactInformation>
        <tsi:Name>Mr. X</tsi:Name>
        <tsi:Address>null null, null</tsi:Address>
    </tsi:AdministrativeContactInformation>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M26G</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>PA</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M54</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
    </tsi:Identifiers>
    <tsi:MessageStatus>1</tsi:MessageStatus>
    <tsi:AffectedSection>
        <tsi:StartOfSection>
            <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
            <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
            <tsi:PrimaryLocationName>A Ville</tsi:PrimaryLocationName>
```

Making the railway system
work better for society.

```

</tsi:StartOfSection>
<tsi:EndOfSection>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
</tsi:EndOfSection>
<tsi:PlannedCalendar>
    <tsi:BitmapDays>00111110011111001111110011111</tsi:BitmapDays>
    <tsi:ValidityPeriod>
        <tsi:StartDateTime>2017-08-05T00:00:00.000+02:00</tsi:StartDateTime>
        <tsi:EndDateTime>2017-08-31T00:00:00.000+02:00</tsi:EndDateTime>
    </tsi:ValidityPeriod>
</tsi:PlannedCalendar>
</tsi:AffectedSection>

<tsi:InterruptionInformation>
    <tsi:InterruptionDescription>test of PathNotAvailable</tsi:InterruptionDescription>
    <tsi:InterruptionDateTime>2017-08-04T01:09:48.117+02:00</tsi:InterruptionDateTime>
    <tsi:InterruptionReason>10</tsi:InterruptionReason>
</tsi:InterruptionInformation>
</tsi:PathNotAvailableMessage>

```

12) Send no alternative available (7M54.nna.xml)

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<tsi:PathDetailsMessage xmlns:tsi="http://www.era.europa.eu/schemes/TAFTSI/2.1">
    <tsi:MessageHeader>
        <tsi:MessageReference>
            <tsi:MessageType>2003</tsi:MessageType>
            <tsi:MessageTypeVersion>2.1</tsi:MessageTypeVersion>
            <tsi:MessageIdentifier>77ee93bf-02bc-4316-b65d-
93e9241d7c3d</tsi:MessageIdentifier>
            <tsi:MessageDateTime>2017-07-19T23:45:24.209+02:00</tsi:MessageDateTime>
        </tsi:MessageReference>
        <tsi:SenderReference>no alternative available</tsi:SenderReference>
        <tsi:Sender> Company A </tsi:Sender>
        <tsi:Recipient>Company B</tsi:Recipient>
    </tsi:MessageHeader>
    <tsi:AdministrativeContactInformation>
        <tsi:Name>Mr. X</tsi:Name>
        <tsi:Address> mrx@company.y </tsi:Address>
    </tsi:AdministrativeContactInformation>
    <tsi:Identifiers>
        <tsi:PlannedTransportIdentifiers>
            <tsi:ObjectType>TR</tsi:ObjectType>
            <tsi:Company>1234</tsi:Company>
            <tsi:Core>-----7M26E</tsi:Core>
            <tsi:Variant>00</tsi:Variant>
            <tsi:TimetableYear>2017</tsi:TimetableYear>
        </tsi:PlannedTransportIdentifiers>
        <tsi:PlannedTransportIdentifiers>

```

Making the railway system
work better for society.

```

<tsi:ObjectType>PR</tsi:ObjectType>
<tsi:Company>1234</tsi:Company>
<tsi:Core>-----7M54</tsi:Core>
<tsi:Variant>00</tsi:Variant>
<tsi:TimetableYear>2017</tsi:TimetableYear>
</tsi:PlannedTransportIdentifiers>
</tsi:Identifiers>
<tsi:MessageStatus>1</tsi:MessageStatus>
<tsi:CoordinatingIM>0070</tsi:CoordinatingIM>
<tsi:LeadRU>2170</tsi:LeadRU>
<tsi>TypeOfRequest>2</tsi>TypeOfRequest>
<tsi>TypeOfInformation>21</tsi>TypeOfInformation>
<tsi:PathInformation>
    <tsi:PlannedJourneyLocation>
        <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
        <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
        <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
        <tsi:TimingAtLocation>
            <tsi:Timing TimingQualifierCode="ELD">
                <tsi:Time>22:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="ALD">
                <tsi:Time>22:50:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
            <tsi:Timing TimingQualifierCode="LLD">
                <tsi:Time>00:00:00.000+01:00</tsi:Time>
                <tsi:Offset>0</tsi:Offset>
            </tsi:Timing>
        </tsi:TimingAtLocation>
        <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
        <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
        <tsi:PlannedTrainData>
            <tsi:TrainType>2</tsi:TrainType>
            <tsi:PlannedTrainTechnicalData>
                <tsi:TrainWeight>360</tsi:TrainWeight>
                <tsi:TrainLength>140</tsi:TrainLength>
                <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
                <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
                <tsi:TractionDetails>
                    <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
                    <tsi:TractionMode>11</tsi:TractionMode>
                    <tsi:TractionWeight>90</tsi:TractionWeight>
                    <tsi:Length>
                        <tsi:Value>66</tsi:Value>
                        <tsi:Measure>ft</tsi:Measure>
                    </tsi:Length>
                </tsi:TractionDetails>
                <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
                <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
                <tsi:RouteClass>D4</tsi:RouteClass>
                <tsi:BrakeType>G</tsi:BrakeType>
                <tsi:BrakingRatio>70</tsi:BrakingRatio>
            </tsi:PlannedTrainTechnicalData>
        </tsi:PlannedTrainData>
    </tsi:PathInformation>
</tsi:Identifiers>

```

Making the railway system
work better for society.

```

        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>23:20:00.000+01:00</tsi:Time>
            <tsi:Offset>0</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>
            <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
            <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
            <tsi:TractionDetails>
                <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
                <tsi:TractionMode>11</tsi:TractionMode>
                <tsi:TractionWeight>90</tsi:TractionWeight>
                <tsi:Length>
                    <tsi:Value>66</tsi:Value>
                    <tsi:Measure>ft</tsi:Measure>
                </tsi:Length>
            </tsi:TractionDetails>
            <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
            <tsi:MaxAxeleWeight>21</tsi:MaxAxeleWeight>
            <tsi:RouteClass>D4</tsi:RouteClass>
            <tsi:BrakeType>G</tsi:BrakeType>
            <tsi:BrakingRatio>70</tsi:BrakingRatio>
            <tsi:BrakeWeight>275</tsi:BrakeWeight>
        </tsi:PlannedTrainTechnicalData>
    </tsi:PlannedTrainData>
    <tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:05:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>

```

Making the railway system
work better for society.

```

<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>
        <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
        <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
        <tsi:TractionDetails>
            <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
            <tsi:TractionMode>11</tsi:TractionMode>
            <tsi:TractionWeight>90</tsi:TractionWeight>
            <tsi:Length>
                <tsi:Value>66</tsi:Value>
                <tsi:Measure>ft</tsi:Measure>
            </tsi:Length>
        </tsi:TractionDetails>
        <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
        <tsi:MaxAxeWeight>21</tsi:MaxAxeWeight>
        <tsi:RouteClass>D4</tsi:RouteClass>
        <tsi:BrakeType>G</tsi:BrakeType>
        <tsi:BrakingRatio>70</tsi:BrakingRatio>
        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:20:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>
            <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
            <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
            <tsi:TractionDetails>
                <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
                <tsi:TractionMode>11</tsi:TractionMode>
                <tsi:TractionWeight>90</tsi:TractionWeight>
                <tsi:Length>
                    <tsi:Value>66</tsi:Value>
                    <tsi:Measure>ft</tsi:Measure>
                </tsi:Length>
            </tsi:TractionDetails>
        </tsi:PlannedTrainTechnicalData>
    </tsi:PlannedTrainData>
</tsi:PlannedJourneyLocation>

```

Making the railway system
work better for society.

```

        </tsi:TractionDetails>
        <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
        <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
        <tsi:RouteClass>D4</tsi:RouteClass>
        <tsi:BrakeType>G</tsi:BrakeType>
        <tsi:BrakingRatio>70</tsi:BrakingRatio>
        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>12345</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
        <tsi:Timing TimingQualifierCode="ALD">
            <tsi:Time>00:40:00.000+01:00</tsi:Time>
            <tsi:Offset>1</tsi:Offset>
        </tsi:Timing>
    </tsi:TimingAtLocation>
    <tsi:ResponsibleRU>134</tsi:ResponsibleRU>
    <tsi:ResponsibleIM>99</tsi:ResponsibleIM>
    <tsi:PlannedTrainData>
        <tsi:TrainType>2</tsi:TrainType>
        <tsi:PlannedTrainTechnicalData>
            <tsi:TrainWeight>360</tsi:TrainWeight>
            <tsi:TrainLength>140</tsi:TrainLength>
            <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
            <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
            <tsi:TractionDetails>
                <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
                <tsi:TractionMode>11</tsi:TractionMode>
                <tsi:TractionWeight>90</tsi:TractionWeight>
                <tsi:Length>
                    <tsi:Value>66</tsi:Value>
                    <tsi:Measure>ft</tsi:Measure>
                </tsi:Length>
            </tsi:TractionDetails>
            <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
            <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
            <tsi:RouteClass>D4</tsi:RouteClass>
            <tsi:BrakeType>G</tsi:BrakeType>
            <tsi:BrakingRatio>70</tsi:BrakingRatio>
            <tsi:BrakeWeight>275</tsi:BrakeWeight>
        </tsi:PlannedTrainTechnicalData>
    </tsi:PlannedTrainData>
    <tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedJourneyLocation>
    <tsi:CountryCodeISO>AR</tsi:CountryCodeISO>
    <tsi:LocationPrimaryCode>123454</tsi:LocationPrimaryCode>
    <tsi:PrimaryLocationName>B Ville</tsi:PrimaryLocationName>
    <tsi:TimingAtLocation>
```

Making the railway system
work better for society.

```

<tsi:Timing TimingQualifierCode="ALA">
    <tsi:Time>01:05:00.000+01:00</tsi:Time>
    <tsi:Offset>1</tsi:Offset>
</tsi:Timing>
</tsi:TimingAtLocation>
<tsi:ResponsibleRU>1234</tsi:ResponsibleRU>
<tsi:ResponsibleIM>99</tsi:ResponsibleIM>
<tsi:PlannedTrainData>
    <tsi:TrainType>2</tsi:TrainType>
    <tsi:PlannedTrainTechnicalData>
        <tsi:TrainWeight>360</tsi:TrainWeight>
        <tsi:TrainLength>140</tsi:TrainLength>
        <tsi:WeightOfSetOfCarriages>300</tsi:WeightOfSetOfCarriages>
        <tsi:LengthOfSetOfCarriages>110</tsi:LengthOfSetOfCarriages>
        <tsi:TractionDetails>
            <tsi:LocoTypeNumber>1170660</tsi:LocoTypeNumber>
            <tsi:TractionMode>11</tsi:TractionMode>
            <tsi:TractionWeight>90</tsi:TractionWeight>
            <tsi:Length>
                <tsi:Value>66</tsi:Value>
                <tsi:Measure>ft</tsi:Measure>
            </tsi:Length>
        </tsi:TractionDetails>
        <tsi:TrainMaxSpeed>70</tsi:TrainMaxSpeed>
        <tsi:MaxAxleWeight>21</tsi:MaxAxleWeight>
        <tsi:RouteClass>D4</tsi:RouteClass>
        <tsi:BrakeType>G</tsi:BrakeType>
        <tsi:BrakingRatio>70</tsi:BrakingRatio>
        <tsi:BrakeWeight>275</tsi:BrakeWeight>
    </tsi:PlannedTrainTechnicalData>
</tsi:PlannedTrainData>
<tsi:OperationalTrainNumber>7M25</tsi:OperationalTrainNumber>
</tsi:PlannedJourneyLocation>
<tsi:PlannedCalendar>
    <tsi:BitmapDays>1</tsi:BitmapDays>
    <tsi:ValidityPeriod>
        <tsi:StartDateTime>2017-07-20T00:00:00.000+02:00</tsi:StartDateTime>
        <tsi:EndDateTime>2017-07-20T00:00:00.000+02:00</tsi:EndDateTime>
    </tsi:ValidityPeriod>
</tsi:PlannedCalendar>
</tsi:PathInformation>
</tsi:PathDetailsMessage>

```